

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
24 January 2002 (24.01.2002)

PCT

(10) International Publication Number  
**WO 02/07104 A1**

(51) International Patent Classification<sup>7</sup>: G07B 17/00

(21) International Application Number: PCT/US01/22191

(22) International Filing Date: 13 July 2001 (13.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/281,553 13 July 2000 (13.07.2000) US

(71) Applicant (for all designated States except US):  
STAMPS.COM [US/US]; Suite 1040, 3420 Ocean  
Park Boulevard, Santa Monica, CA 90405 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GOODWIN,


Jonathan, David [US/US]; 30826 Calle Barbosa, Laguna Niquel, CA 92677 (US). WINSLOW, Richard, B. [US/US]; 740 Basin Drive, Topanga, CA 90290 (US). COWLES, Daniel, K. [US/US]; 8 Azalea, Irvine, CA 92620 (US).

(74) Agent: TABANDEH, Raymond, R.; Christie, Parker, Hale, LLP, P.O. Box 7068, Pasadena, CA 91109-7068 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

[Continued on next page]

(54) Title: WEB-ENABLED VALUE BEARING ITEM PRINTING



(57) Abstract: A web-enabled VBI printing system including one or more cryptographic modules and a central database. The cryptographic modules are capable of implementing a variety of required security standards. A client system is integrated with HTML and provides a user friendly GUI for facilitating the interface of the user to the system. The client system includes wizards that help the user step-by-step with processes of installation, registration, and printing. In one aspect, the invention describes an web-based system for printing a value bearing item (VBI) that includes a client system for interfacing with a user comprising: a GUI for installing software for printing the VBI; a GUI for registering the user in the system; and a GUI for managing the printing of the VBI; and a server system capable of communicating with the client system over a computer network for authorizing the client system to print the VBI.

WO 02/07104 A1



(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— with international search report

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## WEB-ENABLED VALUE BEARING ITEM PRINTING

### FIELD OF THE INVENTION

The present invention relates to secure printing of value-bearing items (VBI) preferably, postage. More specifically, the invention relates to a web-enabled graphical user interface (GUI) for printing of VBI in a computer network environment.

### BACKGROUND OF THE INVENTION

A significant percentage of the United States Postal Service (USPS) revenue is from metered postage. Metered postage is generated by utilizing postage meters that print a special mark, also known as postal indicia, on mail pieces. Generally, printing postage and any VBI can be carried out by using mechanical meters or computer-based systems.

With respect to computer-based postage processing systems, the USPS under the Information-Based Indicia Program (IBIP) has published specifications for IBIP postage meters that identify a special purpose hardware device, known as a Postal Security Device (PSD) that is generally located at a user's site. The PSD, in conjunction with the user's personal computer and printer, functions as the IBIP postage meter. The USPS has published a number of documents describing the PSD specifications, the indicia specifications and other related and relevant information. There are also security standards for printing other types of VBI, such as coupons, tickets, gift certificates, currency, money orders, voucher and the like.

A significant drawback of existing hardware-based systems is that a new PSD must be locally provided to each new user, which involves significant cost. Furthermore, if the additional PSD breaks down, service calls must be made to the user location. In light of the drawbacks in hardware-based postage metering systems, a software-based system has been developed that does not require specialized hardware for each user. The software-based system meets the IBIP specifications for a PSD, using a centralized server-based implementation of PSDs utilizing one or more cryptographic modules. The system also includes a database for all users' information. The software-based system, however, has brought about new challenges.

The software-based system should be able to handle secure communications between users and the database. The system should also be user friendly and be able to provide the user with a step-by-step process for installing the client software, registering with the system, printing the postage value, maintaining and monitoring the user account information, and the like.

Therefore, there is a need for a new method and apparatus for implementation of VBI printing via a web-enabled user friendly GUI with a variety of selectable options.

## SUMMARY OF THE INVENTION

In accordance with one aspect of the present invention, a web-enabled VBI printing system that includes one or more cryptographic modules and a central database has been designed. The cryptographic modules serve the function of the PSDs and are capable of implementing a variety of required security standards. A HTML integrated client system provides a user friendly GUI for facilitating the interface of the user to the system. The GUI system includes wizards that help the user step-by-step with processes of installation, registration, and printing.

In one aspect, the invention describes a web-enabled system for printing a VBI comprising a web-enabled client subsystem for interfacing with a user. The integrated client system comprises a graphical user interface (GUI) for installing software for printing the VBI; a GUI for registering the user in the system; and a GUI for managing the printing of the VBI. The system also includes a server subsystem capable of communicating with the client subsystem over the Internet for authorizing the client subsystem to print the VBI.

Other features of the present invention include a browser-based GUI for on-line shopping, wherein the user information entered in the client system can be uploaded to the on-line shipping system. A browser-based GUI for shipping tools for facilitating shipping of packages; and a browser-based GUI for business tools are also provided in some embodiments of the present invention.

In another aspect, the invention describes a method for printing a VBI over the Internet including a web-enabled client system and a server system. The method comprising the steps of: displaying a first GUI by the client system for registering a user; establishing communication with the server via the Internet; entering user information in the first GUI; and communicating the entered user information to the server.

It is to be understood that the present invention is useful for printing not only postage, but any VBIs, such as coupons, tickets, gift certificates, currency, voucher and the like.

## BRIEF DESCRIPTION OF THE DRAWINGS

The objects, advantages and features of this invention will become more apparent from a consideration of the following detailed description and the drawings, in which:

FIG. 1 is an exemplary block diagram for the client/server architecture of one embodiment of the present invention;

FIG. 2 is an exemplary block diagram of a remote user computer connected to a server via Internet according to one embodiment of the present invention;

FIG. 3 is an exemplary flow diagram of an installation wizard;



FIG. 4 is an exemplary block diagram of servers, databases, and services according to one embodiment of the present invention;

FIGs. 5A-5B are exemplary interfaces for application plugins;

FIGs. 6A-6E are exemplary interfaces for Internet connection options;

FIGs. 7A-7C are exemplary process flow diagrams for a getting started wizard;

FIG. 7D is an exemplary dialog box for allowing a user to cancel a getting started wizard;

FIGs. 8A-8B are exemplary interfaces for registration;

FIGs. 9A-9N are exemplary interfaces for registration and receiving user information;

FIG 10A is an exemplary process flow diagram for a registration wizard;

FIGs. 10B-10O are exemplary interfaces for a registration wizard;

FIGs. 11A-11B are exemplary process flow diagrams for a print wizard;

FIGs. 11C-11L are exemplary interfaces for a printing wizard;

FIG. 12A is an exemplary process flow diagram for a re-registration process;

FIGs. 12B-12D are exemplary interfaces for a re-registration wizard;

FIGs. 13A-13N are exemplary interfaces for a print wizard;

FIGs. 14A-14B are exemplary diagrams showing an indicium printed on an envelop;

FIGs. 15A-15B are exemplary diagrams of an envelop with and without a graphic placed in the area to the left of the return address, respectively;

FIG. 15C is an exemplary interface for an envelop printing option;

FIGs. 16A-16B are exemplary interfaces for addition of an address book;

FIGs. 17A-17G are exemplary interfaces for messages;

FIG. 18 is an exemplary interface for a main menu;

FIG. 19A is an exemplary process flow diagram for a change of address process;

FIGs. 19B-19I are exemplary interfaces for change of address;

FIGs. 20A-20C are exemplary interfaces for change payment method;

FIGs. 21A-21D are exemplary interfaces for change service plan;

FIG. 21E is an exemplary interface for change e-mail information;

FIGs. 22A-22B are exemplary interfaces for password entry & verification;

FIG. 23 is an exemplary interface for a meter withdrawal;

FIG. 24 is an exemplary process flow diagram for a registration wizard;

FIGs. 25A-25C are exemplary interfaces for setting up a digital scale;

FIG. 26 is an exemplary process flow for accessing a function or web page by an off-line user;

FIG. 27 is an exemplary process flow for accessing a function or web page by an on-line user;

FIG. 28 is an exemplary interface for Shipping Tools;

FIG. 29 is an exemplary interface for Business Tools;  
FIG. 30 is an exemplary interface for Special Services; and  
FIGs. 31A-31G are exemplary interfaces for address overriding.

## DETAILED DESCRIPTION

An exemplary on-line postage system is described in U.S. patent Application No. 09/163,993 filed September 15, 1998, the entire content of which is hereby incorporated by reference herein. The on-line postage system includes an authentication protocol that operates in conjunction with the USPS. The system utilizes on-line postage system software comprising user code that resides on a client system and controller code that resides on a server system. The on-line postage system allows a user to print a postal indicium at home, at the office, or any other desired place in a secure, convenient, inexpensive and fraud-free manner. The system comprises a user system electronically connected to a server system, which in turn is in communication with a USPS system.

Each of the cryptographic modules may be available for use by any user. When a user requests a PSD service, one of the available modules is loaded with data belonging to the user's account and the transaction is performed. When a module is loaded with a user's data, that module becomes the user's PSD. The database record containing each user's PSD data is referred to as the "PSD package". After each PSD transaction is completed, the user's PSD package is updated and returned to a database external to the module. The database becomes an extension of the module's memory and stores not only the items specified by the IBIP for storage inside the PSD, but also the user's personal cryptographic keys and other security relevant data items (SRDI) and status information needed for operating continuity. Movement of this sensitive data between the modules and the database is secured to ensure that PSD packages could not be compromised.

In one embodiment, the server system is remotely located in a separate location from the client system. All communications between the client and the server are preferably accomplished via the Internet. FIG. 1 illustrates a remote client system 220a connected to a server system 102 via the Internet 221. The client system includes a processor unit 223, a monitor 230, printer port 106, a mouse 225, a printer 235, and a keyboard 224. Server system 102 includes Postage servers 109, Database 130, and cryptographic modules 110.

An increase in the number of servers within the server system 102 will not negatively impact the performance of the system, since the system design allows for scalability. The Server system 102 is designed in such a way that all of the business transactions are processed in the servers and not in the database. By locating the transaction processing in the servers, increases in the number of transactions can be easily handled by adding additional servers. Also, each

transaction processed in the servers is stateless, meaning the application does not remember the specific hardware device the last transaction utilized. Because of this stateless transaction design, multiple servers can be added to each appropriate subsystem in order to handle increased loads.

Furthermore, each cryptographic module is a stateless device, meaning that a PSD package can be passed to any device because the application does not rely upon any information about what occurred with the previous PSD package. Therefore, multiple cryptographic modules can also be added to each appropriate subsystem in order to handle increased loads. A PSD package for each cryptographic module is a database record, stored in the server database, that includes information pertaining to one customer's service that would normally be protected inside a cryptographic module. The PSD package includes all data needed to restore the PSD to its last known state when it is next loaded into a cryptographic module. This includes the items that the IBIP specifications require to be stored inside the PSD, information required to return the PSD to a valid state when the record is reloaded from the database, and data needed for record security and administrative purposes.

In one embodiment, the items included in a PSD package include ascending and descending registers (the ascending register "AR" records the amount of postage that is dispensed or printed on each transaction and the descending register "DR" records the value or amount of postage that may be dispensed and decreases from an original or charged amount as postage is printed.), device ID, indicia key certificate serial number, licensing ZIP code, key token for the indicia signing key, the user secrets, key for encrypting user secrets, data and time of last transaction, the last challenge received from the client, the operational state of the PSD, expiration dates for keys, the passphrase repetition list and the like.

As a result, the need for specific PSDs being attached to specific cryptographic modules is eliminated. A Postal Server subsystem provides cryptographic module management services that allow multiple cryptographic modules to exist and function on one server, so additional cryptographic modules can easily be installed on a server. The Postal Server subsystem is easy to scale by adding more cryptographic modules and using commonly known Internet load-balancing techniques to route inbound requests to the new cryptographic modules.

Referring back to FIG. 1, Postage servers 109 provide indicia creation, account maintenance, and revenue protection functionality for the on-line postage system. The Postage servers 109 include several physical servers in several distinct logical groupings, or services as described below. The individual servers could be located within one facility, or in several facilities, physically separated by great distance but connected by secure communication links.

Cryptographic modules 110 are responsible for creating PSDs and manipulating PSD data to protect sensitive information from disclosure, generating the cryptographic components of the digital indicia, and securely adjusting the user registers. When a user wishes to print VBI, for

example, postage or purchase additional VBI or postage value, a user state is instantiated in the PSD implemented within one of the cryptographic modules 110. Database 111 includes all the data accessible on-line for indicia creation, account maintenance, and revenue protection processes. Postage servers 109, Database 130, and cryptographic modules 110 are maintained in a physically secured environment, such as a vault.

FIG. 2 shows a simplified system block diagram of a typical Internet client/server environment used by an on-line postage system in one embodiment of the present invention. PCs 220a-220n used by the postage purchasers are connected to the Internet 221 through the communication links 233a-233n. Each PC has access to one or more printers 235. Optionally, as is well understood in the art, a local network 234 may serve as the connection between some of the PCs, such as the PC 220a and the Internet 221 or other connections. Servers 222a-222m are also connected to the Internet 221 through respective communication links. Servers 222a-222m include information and databases accessible by PCs 220a-220n. The on-line VBI system of the present invention resides on one or more of Servers 222a-222m.

In this embodiment, each client system 220a-220m includes a CPU 223, a keyboard 224, a mouse 225, a mass storage device 231, main computer memory 227, video memory 228, a communication interface 232a, and an input/output device 226 coupled and interacting via a communication bus. The data and images to be displayed on the monitor 230 are transferred first from the video memory 228 to the video amplifier 229 and then to the monitor 230. The communication interface 232a communicates with the servers 222a-222m via a network link 233a. The network link connects the client system to a local network 234. The local network 234 communicates with the Internet 221.

In one embodiment, a customer, preferably licensed by the USPS and registered with an IBIP vendor (such as Stamps.com), sends a request for authorization to print a desired amount of VBI, such as postage. The server system verifies that the user's account holds sufficient funds to cover the requested amount of postage, and if so, grants the request. The server then sends authorization to the client system. The client system then sends image information for printing of a postal indicium for the granted amount to a printer so that the postal indicium is printed on an envelope or label.

When a client system sends a VBI print request to the Server, the request needs to be authenticated before the client system is allowed to print the VBI, and while the VBI is being printed. The client system sends a password (or passphrase) entered by a user to the Server for verification. If the password fails, a preferably asynchronous dynamic password verification method terminates the session and printing of the VBI is aborted. Also, the Server system communicates with a system located at a certification authority for verification and authentication purposes.

In one embodiment, the information processing components of the on-line postage system include a client system, a postage server system located in a highly secure facility, a USPS system and the Internet as the communication medium among those systems. The information processing equipment communicates over a secured communication line.

Preferably, the security and authenticity of the information communicated among the systems are accomplished on a software level through the built-in features of a Secured Socket Layer (SSL) Internet communication protocol. An encryption hardware module embedded in the server system is also used to secure information as it is processed by the secure system and to ensure authenticity and legitimacy of requests made and granted.

The on-line VBI system does not require any special purpose hardware for the client system. The client system is implemented in the form of software that can be executed on a user computer (client system) allowing the user computer to function as a virtual VBI meter. The software can only be executed for the purpose of printing the VBI indicia when the user computer is in communication with a server computer located, for example, at a VBI meter vendor's facility (server system). The server system is capable of communicating with one or more client systems simultaneously.

In one embodiment of the present invention, the cryptographic modules 110 are FIPS 140-1 certified hardware cards that include firmware to implement PSD functionality in a cryptographically secure way. The cryptographic modules are inserted into any of the servers in the Postal Server Infrastructure. The cryptographic modules are responsible for creating PSDs and manipulating PSD data to generate and verify digitally signed indicia. Since the PSD data is created and signed by a private key known only to the module, the PSD data may be stored externally to the cryptographic modules without compromising security.

The on-line VBI system is based on a client/server architecture. Generally, in a system based on client/server architecture the server system delivers information to the client system. That is, the client system requests the services of a generally larger computer. In one embodiment, the client is a local personal computer and the server is a more powerful group of computers that house the information. The connection from the client to the server is made via a Local Area Network, a phone line or a TCP/IP based WAN on the Internet. A primary reason to set up a client/server network is to allow many clients access to the same applications and files stored on the server system.

In one embodiment, Postage servers 109 include a string of servers connected to the Internet, for example, through a T1 line, protected by a firewall. The firewall permits a client system to communicate with a server system, only if the information packet transmitted by the client system complies with a security policy set by the server system. The firewall not only protects the system from unauthorized users on the Internet, it also separates the Public Network

(PUBNET) from the Private Network (PRVNET). This ensures that packets from the Internet will not go to any location but the PUBNET. The string of servers form the different subsystems of the on-line postal system. The services provided by the different subsystems of the on-line postage system are designed to allow flexibility and expansion and reduce specific hardware dependency.

The Database subsystem is comprised of multiple databases. FIG. 4 illustrates an overview of the on-line VBI system which includes the database subsystems. Database 411 includes the Affiliate DBMS and the Source IDs DBMS. The Affiliate DBMS manages affiliate information (e.g., affiliate's name, phone number, and affiliate's website information) that is stored on the Affiliate Database. Using the data from this database, marketing and business reports are generated. The Source IDs Database contains information about the incoming links to the vendor's website (e.g., partners' information, what services the vendor offers, what marketing program is associated with the incoming links, and co-branding information). Using the data from this database, marketing and business reports are generated.

The Online Store Database 412 contains commerce product information, working orders, billing information, password reset table, and other marketing related information. Website database 410 keeps track of user accesses to the vendor website. This database keeps track of user who access the vendor website, users who are downloading information and programs, and the links from which users access the vendor website. After storing these data on the website Database 410, software tools are used to generate the following information:

- Web Site Status
- Web Site Reports
- Form Results
- Download Successes
- Signup, Downloads, and Demographic Graphs
- Web Server Statistics (Analog)
- Web Server Statistics (Web Analyzer)

Offline database 409 manages the VBI (e.g., postal) data except meter information, postal transactions data, financial transactions data (e.g., credit card purchases, free postage issued, bill credits, and bill debits), customer marketing information, commerce product information, meter license information, meter resets, meter history, and meter movement information. Consolidation Server 413 acts as a repository for data, centralizing data for easy transportation outside the vault 400. The Consolidation Server hosts both file and database services, allowing both dumps of activity logs and reports as well as a consolidation point for all database data. The Offline Reporting Engine MineShare Server 415 performs extraction transformation from the holding database that received transaction data from the Consolidated Database (Commerce database 406,

Membership database 408, and Postal Database 407). Also, the Offline Reporting Engine MineShare Server handles some administrative tasks. Transaction data in the holding database contains the transaction information about meter licensing information, meter reset information, postage purchase transactions, and credit card transactions. After performing extraction transformation, business logic data are stored on Offline Database 409. Transaction reports are generated using the data on the Offline Database. Transaction reports contain marketing and business information.

The Data Warehouse database 414 includes all customer information, financial transactions, and aggregated information for marketing queries (e.g., how many customers have purchased postage). In one embodiment, commerce Database 406 includes a Payment Database, an E-mail Database, and a Stamp Mart Database. The E-mail DBMS manages access to the contents of e-mail that were sent out to everyone by vendor servers. The Stamp Mart database handles order form processing. The E-commerce Server 404 provides e-commerce related services on a user/group permission basis. It provides commerce-related services such as payment processing, pricing plan support and billing as well as customer care functionality and LDAP membership personalization services. A Credit Card Service is invoked by the E-commerce Server 404 to authorize and capture funds from the customer's credit card account and to transfer them to the vendor's merchant bank. A Billing Service is used to provide bills through e-mail to customers based on selected billing plans. An ACH service runs automatically at a configurable time. It retrieves all pending ACH requests and batches them to be sent to bank for postage purchases (i.e. money destined for the USPS), or Chase for fee payments which is destined for the vendor account.

The E-commerce DBMS 406 manages access to the vendor specific Payment, Credit Card, and Email Databases. A Membership DBMS manages access to the LDAP membership directory database 408 that hosts specific customer information and customer membership data. A Postal DBMS manages access to the Postal Database 407 where USPS specific data such as meter and licensing information are stored. A Postal Server 401 provides secure services to the Client, including client authentication, postage purchase, and indicia generation. The Postal Server requires cryptographic modules to perform all functions that involve client authentication, postage purchase, and indicia generation.

Postal Transaction Server 403 provides business logic for postal functions such as device authorization and postage purchase/register manipulation. The Postal Transaction Server requires the cryptographic modules to perform all functions. There are four Client Support Servers. Address Matching Server (AMS) 417 verifies the correct address specified by a user. When the user enters a delivery address or a return address using the client software, the user does not need the address matching database on the user's local machine to verify the accuracy of the address.

The Client software connects to the vendor's server and uses the central address database obtained from the USPS to verify the accuracy of the address.

When a user chooses to validate address information from an address book, AMS converts different address formats into a format that is acceptable by the USPS Address Matching Database. Alternatively, the user may enter (type) an address. If the address entered or chosen by the user cannot be successfully validated, the USPS Address Matching Database returns a valid city, state, and ZIP information. Instead of rejecting the incorrect addresses, AMS provides the user with an option to override the incorrect address by concatenating the validated city, state, and ZIP information and the original street information. Also, AMS returns the override address in the address book format that can be easily stored in the respective address book.

The Client Support Servers 417 provides the following services: a Pricing Plan service, an Auto Update service, and a Printer Config service. The Pricing Plan Service provides information on pricing plans and payment methods available to the user. It also provides what credit cards are supported and whether ACH is supported. This information is represented preferably using a plain text format. The Auto Update Service verifies whether the user is running the latest Client Software. If there is newer Client Software, the Auto Update Server downloads the new patches to the user computer. The Client Support Database has tables for the client software update information. This information is represented using a plain text format. Before the user tries to print postage, the user sends his or her printer driver information over the Internet in plain text. A Printer Config Service looks up the printer driver information in the Printer Driver Database to determine whether the printer driver is supported or not. When the user tries to configure the printer, the user prints a test envelope to test whether the postage printing is working properly or not. This test envelope information is sent over the Internet in plain text and is stored in the Client Support Database.

MeterGen server 422 makes calls into the cryptographic module to create sufficient meters to ensure that the vendor can meet customer acquisition demands. SMTP Server 418 communicates with other SMTP servers, and it is used to forward e-mail to users. Gatekeeper Server works as a proxy server by handling the security and authentication validation for the smart card users to access customer and administration information that reside in the vault. The Proxy Server 423 uses the Netscape™ Enterprise SSL library to provide a secure connection to the vault 400. Audit File Server 419 acts as a repository for module transaction logs. The Audit File Server verifies the audit logs that are digitally signed. The audit logs are verified in real time as they are being created. Postal Server writes audit logs to a shared hard drive on the Audit File Server. After these logs are verified, the Audit File Server preferably moves them from the shared hard drive to a hard drive that is not shared by any of the vendor servers.



Provider Server provides reporting and external communication functionality including the following services. CMLS Service forwards license applications and it processes responses from CMLS. The CMLS Service uses cryptographic functions provided by the Stamps.com Crypt library to decrypt the user's SSN/Tax ID/Employee ID. CMRS Service reports meter movement and resetting to the USPS Computerized Meter Resetting infrastructure. ACH Service is responsible for submitting ACH postage purchase requests to the USPS lockbox account at the bank. The CMLS Service uses cryptographic functions to decrypt the user's ACH account number. After decrypting ACH account information, the ACH is encrypted using the vendor's script library. Then, the encrypted ACH file is e-mailed to the Commerce Group by the SMTP server. When the Commerce Group receives this encrypted e-mail, the vendor's Decrypt utility application is used to decrypt the ACH e-mail. After verifying the ACH information, the Commerce Group sends the ACH information through an encrypted device first and then uses a modem to upload the ACH information to a proper bank. The Certificate Authority issues certificates for all IBIP meters. The certificates are basically used to provide authentication for indicia produced by their respective meters.

The following are the steps describing the certificate authorization process:

- MeterGen asks the module to create a meter package,
- The module returns a package and the meter's public key,
- MeterGen creates a certificate request with the public key, signs the request with a USPS-issued smartcard, and submits the request to the USPS Certificate Authority,
- The Certificate Authority verifies the request came from the vendor then, it creates a new certificate and returns it to MeterGen,
- MeterGen verifies the certificate using the USPS Certificate Authority's certificate (e.g., to ensure it wasn't forged) and stores the certificate information in the package. The package is now ready to be associated with a customer.

The Postal Server subsystem 401 manages client and remote administration access to server functionality, authenticates clients and allows clients to establish a secure connection to the on-line postage system. The Postal Server subsystem also manages access to USPS specific data such as PSD information and a user's license information. The Postal Server subsystem queries the Postal portion of the Database subsystem for the necessary information to complete the task. The query travels through the firewall to the Postal portion of the Database subsystem. The Postal Server subsystem is the subsystem in the Public Network that has access to the Database subsystem.

In one embodiment of the present invention, Postal Server 401 is a standalone server process that provides secure connections to both the clients and the server administration utilities, providing both client authentication and connection management functionality to the system.

Postal Server 401 also houses postal-specific services that require high levels of security, such as purchasing postage or printing indicia. Postal Server 401 is comprised of at least one server, and the number of servers increases when more clients need to be authenticated, are purchasing postage or are printing postage indicia.

The growth in the number of servers of the Postal Server will not impact the performance of the system since the system design allows for scalability. The Postal Server is designed in such a way that all of the business logic is processed in the servers and not in the database. By locating the transaction processing in the servers, increases in the number of transactions can be easily handled by adding additional servers. Also, since each transaction is stateless (the application does not remember the specific hardware device the last transaction utilized), multiple machines can be added to each subsystem in order to handle increased loads. In one embodiment, load balancing hardware and software techniques are used to distribute traffic among the multiple servers.

The client software includes GUI and wizards for software installation, user registration, printing of VBI, account information access, payment, and the like. An installation wizard helps the user to install the client software. FIG. 3 is an exemplary flow for the installation routine. In blocks 301-305, the user agrees to the software license agreement and selects a destination directory and folder for the installation software. In blocks 306-307, the user selects the appropriate ISP and connects to Internet. Links to other application software and address book are installed in blocks 308 and 309, respectively. Any desired plugin software is downloaded and installed in blocks 312 and 315. In block 311, the program files are installed and in block 314 the Readme is installed and the user computer is re-booted. The install wizard supports an Auto Update before the software is installed. Specifically, the install wizard checks the server for a newer version of the client software before installing the software. If a newer version is available, then the install wizard notifies the user that a newer version is available on the server, and prompts the user whether or not the file is downloaded. If a newer version is not available, then the install wizard proceeds.

The install routine supports the installation of third party applications, including MS Word™, and Word Perfect™. The plugins for these applications are preferably included in the download file. The install wizard preferably prompts the users which of these, if any, they would like to install. An exemplary interface is shown in FIG. 5A. Address book plugins help the user select an appropriate plugin to support the function of an address book. The Install Address Book plugins are not part of the standard download file in the preferred embodiment. Rather, each plugin is its own file that resides on the web. The install wizard preferably prompts the user which, if any of the plugins is installed. If multiple selections are made, the user is prompted for

a default address book. The interface for this function is shown in FIG. 5B. This list is dynamic so that the address book plugins can be added or subtracted without requiring a full client update.

The installation routine also supports OEM branding. Specifically, the install wizard is such that the elements described in OEM branding are stored in a resource file, so that the install routine itself preferably does not need to be changed – rather the resource file is changed. The installation routine or the Getting Started wizard also supports the OEM branding requirements. Specifically, a cookie is read and its contents are uploaded to the server.

FIGs 6A-6E are exemplary interfaces for the Internet connections. As shown in FIG. 6A, once the "I connect with my modem..." radio button is selected, the "Click here to confirm settings text" and "Settings..." button become available. When "I connect using AOL" is chosen, then an additional wizard screen is seen by the user as shown in FIG. 6B. If "I connect using CompuServe" is chosen, an additional wizard screen is seen by the user as shown in FIG. 6B.

When the user first attempts to log in, and a connection cannot be established, an error message appears based upon which connection method the user has chosen. In one embodiment, if the user chose to connect by a local area network, the error message shown in FIG. 6C appears. if the user chose to connect by a dial up networking connection, the error message shown in FIG. 6D appears. if the user chose to connect using AOL, the error message shown in FIG. 6E appears.

Before a user can begin to print postage, a number of tasks are preferably first completed. These steps are combined into a wizard that launches after the customer installs the client software. The preferred goal is to provide a single, streamlined interface that removes any interruptions once the user completes the wizard. The overall flow of the user experience in getting started with the software is shown in FIG. 7A. In one embodiment, the Getting Started wizard includes five main components, a Welcome component is responsible for welcoming the user (customer), and determining whether or not the user should proceed through the complete Getting Started wizard at this time. A Sign up for Service group of screens leads the customer through signing up for a service plan. A Registration wizard group of screens handles the meter license application, and can also be accessed through the client application through the Options screen. A Print Setup group of screens take the user through printer verification and printing a quality assurance (QA) envelope. This component of the Getting Started wizard includes several independent wizards which can be accessed through the client software. The Finish portion of the Getting Started wizard congratulates the user and launches the client software. Preferably, the Getting Started wizard is comprised of multiple components to facilitate their reuse as individual wizards within the client software.

Typically, the volume of screens that make up the Getting Started wizard are significant. In order to prevent the user from being overwhelmed with the process, preferably the system

constantly gives the customer a sense as to where they are in the process. To satisfy this goal, the software utilizes a "Follow the Yellow Brick Road" interface, which constantly updates the users on their progress in the wizard. The left side graphic area is used to indicate which of these stages that the user is currently in. In one embodiment, the stage is indicated using text, with the current stage being highlighted. Using text rather than graphics helps minimize the download size.

Each screen of the Getting Started wizard preferably has a Help button which links to a portion of the Help file that pertains to that screen. Whenever a combo box is used in this wizard, by default no item is selected, and the prompt "select one" preferably appears to the user. Preferably, every screen in the Getting Started wizard has a Cancel button on it. The functionality of these buttons is consistent throughout the wizard. The various functions that are executed when a user selects the Cancel button are described below.

The Verification Prompt is a standard prompt that verifies the user indeed would like to cancel the wizard. This is accomplished through a standard dialog box as shown in FIG. 7D. A Save Data button is also provided. When the user selects the Cancel button, all of the data that the user has input is saved locally. If the user starts the Getting Started wizard at a later time, all of the information that was previously entered is filled into the appropriate screen in the wizard. Using an upload Data button, the client preferably uploads the following data to a log on one of the servers; Customer email, the screen that the user catcalled on (resource ID), and the source (OEM partner, affiliate, etc.). When the Getting Started wizard first attempts to establish an Internet connection and experiences an error in connecting, error messages appear depending upon the connection method chosen by the user.

The Welcome portion of the Getting Started wizard provides two functions. First, it welcomes the user to the process and gives the user an idea of what is involved in the process. Second, it determines whether or not a user should complete the Getting started wizard at this time. There are two reasons why a user is kept from completing the Getting Started wizard, as shown in FIG. 7B. The first is if the user has previously completed the Getting Started wizard, shown by block 721. The second is when the provider's service is over booked and there is no opening available for the user, as shown by block 723. When this portion of the Getting Started wizard has begun, the Follow the Yellow brick Road text t reads "Start". The logical flow of the Sign up for Service component is shown in FIG. 7B. The Welcome Screen #1 720, in FIG. 7B, lists three major steps that the customer should complete in order to finish the wizard. As shown in FIG. 8A, the screen includes a smaller version of each screen group graphic to help the customers recognize each screen group as they come to it. The "Welcome" step of the "Follow the Yellow-brick Road" list is highlighted to show the customers that they are on the Welcome screen. A check box allows a user to skip the Registration and Print Configuration wizard. If

the user selects the check box, the wizard closes and the "rereg" dialog box appears. The default state for the check box is unselected.

If there is no slot available for the user, the exemplary Welcome Screen #2 725, in FIG. 7B, appears to the user in the event that the user cannot be signed up the user at that time. A URL link button links the user to the web site on the page where the user can pre-register, as shown in FIG. 8B. By pre-registering, the user will later be notified when a slot is available.

At this point in the Getting Started wizard, the client preferably downloads information from the server for use throughout the remainder of the wizard. Specifically, the information that is downloaded includes Service Plan Information such as Plan Name, Plan ID, Text file describing all of the plans, Contract for the plan (text file), Min purchase amount, Max purchase amount, Purchase Upfront (y/n), URL link to full description (common web link for all plans), Preferred Service Plan; and Payment Information including Payment types accepted, and Preferred payment type.

The Sign up for Service component of the Getting Started wizard extracts all of the information required to sign up the user for service with the provider. When this portion of the Getting Started wizard has begun, the "Follow the Yellow Brick Road" text is changed to "Register with Provider" (e.g., Stamps.com). The logical flow of the Sign up for Service component is shown in FIG. 7C.

Service Screen #1 (block 730 of FIG. 7C) is shown in FIG. 9A. The "Send me information..." checkbox is checked by default. Selection of this check box provides a database entry that designates that the provider and its partners have the right to solicit the user with marketing programs. The "Next>" button is not enabled until all required information is filled in. Required information for this screen includes the First Name, Last Name, Phone, and Email.

Service Screen #2 (block 731 of FIG. 7C) is depicted in FIG. 9B. The fields in the upper portion of the screen allow the user to enter the physical location of the user computer. The lower portion of the screen allows the user to enter mailing address information in one of two ways. If the user selects the "Use physical address" check box, the values stored for the mailing address are made to be the same as those of the physical address, and the "Next>" button becomes enabled. Otherwise, the mailing address fields are enabled for user input. The "Next>" button is not enabled until all required fields are filled in. After the user selects "Next>", an AMS check on the address is performed, as shown by block 732 of FIG. 7C. The client checks for a PO Box in the physical address fields, as shown by block 733 of FIG. 7C. In blocks 734 and 735, if a P.O. Box is provided, an error message preferably indicates that a P.O. Box is not acceptable.

After service screen #2 is completed, in block 736, an AMS check on the addresses is run. Also, a check is made as to determine whether the zip code that the user provides is currently the one that is supported, as shown in block 737. If it is determined that the physical zip code is one that is supported, the user continues with service screen #3 in block 739. If the zip code is NOT one that is supported, Service Screen #2a appears to notify the user that the user is unable to sign up at this time, as depicted in block 738. An exemplary interface for Service Screen #2a is shown in FIG. 9C. A URL link button links the user to the provider's site on the page where the user can pre-register. By pre-registering, the user is notified later when a slot is available within the zip code for the physical address that is provided.

In block 739, the user enters "user name" and "password." An exemplary interface for Service Screen #3 is shown in FIG. 9D. The password preferably comprises at least 6 characters, with at least 1 alpha character and 1 numeric character. The "Next>" button is not enabled until all the information has been filled in. In block 743, Service Screen #4 captures information that either Customer Service or the client software can use to verify a customer's identity in the event that the customer loses his/her password. An exemplary interface for Service Screen #4 is shown in FIG. 9E. The key word, or "secret code" is the answer that the user gives to a question selected by the user. The default questions that the user may select from include;

- What is your mother's maiden name?
- What is your favorite pets name?
- What is your favorite vacation spot?
- What is your place of birth?

After selecting a question, the user can enter a response into an edit field. The "Next>" button is not enabled until after the information is filled in.

In block 744, in Service Screen #5, the users specify how they will use the account. Preferably, none of the radio buttons are selected on open. An exemplary interface for Service Screen #5 is shown in FIG. 9F. The company information fields and text are grayed-out and disabled until the user selects one of the three business radio buttons. The "Next>" button is not enabled until the user selects the "Personal/Individual" radio button or until the required business fields are populated if the user selects one of the business radio buttons. In addition to storing the user's response for use by the provider, the user's input is interpreted in order to pre-fill portions of the meter license. Specifically, if the user selects the first radio button, "Personal/Individual Use", the user is categorized as a "personal" user for the meter license application. If any of the other three radio buttons are selected, the user is categorized as a business user for the meter license. If the user selects one of the business categories, the data input into the business fields is stored both for use by the provider and for insertion into the meter license application.

Service Screen #6, in block 745, provides several types of information all related to the user's postage usage habits, for use both by the provider and the USPS. In this screen, as depicted in FIG. 9G, the user specifies their mail volume using a spinner box and the letter category is split into window and standard envelopes. In addition, a question is asked with yes or no radio button response options (Do you currently lease or rent a traditional postage meter?). The "Next>" button is preferably not enabled until the user has selected a value in each box. The mail volume box is blank by default. Each of the four percentage boxes preferably has a 0 in it. When the user hits the "Next>" button, verify that the percentage boxes add up to 100%. When storing the percentages for use in the USPS meter license application, the first two percentages (letters – standard envelopes and letters – windowed / pre printed) are added together to create the value for the USPS "letters" category. The other two percentages map equally to their USPS counterparts.

Service Screen #7 (block 746) allows the user to select a service plan from the provider. The following information is preferably downloaded at the beginning of the registration wizard: Service Plan names, a URL to a page on the provider's web site that describes the service plans in detail, and text files describing each service plan. FIG. 9H depicts an exemplary interface for this screen. The drop down box preferably displays all available plans at the time. No plans are selected by default, and the prompt "Select One" appears. At this time, a text file that briefly describes all of the plans currently available is displayed in a scrollable text window below. Once the user selects a plan, the text file below is changed to display a text file that describes only that plan. If a preferred service plan is defined, this plan is the first one to appear on the drop down list (still none of the plans selected by default). A URL link takes the user to provider's web site for details on the plans. The "Next>" button is disabled until the user selects a plan.

As illustrated in block 747, Service Screen #8 displays the service contract for the service plan that the user selected on the previous screen. This contract is a text file, which is downloaded at the beginning of the registration wizard. As shown in FIG. 9I, neither of the two radio buttons are selected by default, and the "Next>" button is disabled until the user selects one of the choices. If the user selects "I Accept", the wizard will continue. If the user selects "I do NOT accept", a message box should appear as described below. This wizard screen should still remain open in the background behind this dialog box. If the user selects "I do NOT Accept on Screen #8 of FIG. 9I, a dialog box, shown in FIG. 9J, appears indicating that the user must accept the terms in order to sign up with the provider. If the user selects "Go Back", this dialog Box closes, and the user is brought back to screen #8 of the wizard. If the user selects "Cancel", the Getting Started is canceled.

Service Screen #9, depicted in FIG. 9K, is built dynamically, depending upon a user's

response to the payment type prompt. The payment type field is empty by default. The values available for this field are preferably downloaded when the registration wizard begins. The "Next>" button is disabled before AND after a value is selected for the payment type. The "Next>" button remains disabled until the screen dynamically builds, and all of the fields are completed by the user. If a preferred payment method is defined, this method of payment is the first one to appear on the drop down list (still none of the payment method types are selected by default).

If a credit card is selected as the method of payment in decision block 750, the fields shown in the screen of FIG. 9L appear. The cardholder name and card number are both edit boxes. The expiration date is entered using two combo boxes. The prompt for the billing address allows the user to either enter an address manually, or copy the address given on service screen #2 as a mailing address. If the user selects the "Use Mailing Address" check box, the mailing address information is copied into the billing address fields, and these fields are disabled. All fields preferably should be filled in before the user can proceed. After the user selects "Next>", an AMS check on the address is performed, as shown in block 753.

If ACH method of payment is selected in decision block 750, the fields shown in screen of FIG. 9M appear. All fields preferably should be filled in before the user can proceed. Service Screen #10, in block 756 or 757, allows the user to purchase postage. The order is accepted at this time, but is not processed until the meter license has gone through. At the beginning of the registration wizard, the maximum and minimum purchase amounts associated with a service plan are downloaded. As shown in FIG. 9N, the user can enter a purchase in one of two ways: by selecting a pre-defined amount or by entering an amount into an edit box. In one embodiment, the pre-defined values of the radio buttons are \$10, \$25, \$50, \$100, and \$200. If any of these values are lower than the minimum purchase amount associated with the plan that the user has selected, then the associated radio button(s) is disabled. Similarly, if any of the pre-defined values are higher than the maximum purchase amount allowed by the plan that the user selected, then the associated radio button(s) is disabled. The Purchase Postage control allows the user to enter in both dollars and cents values. Preferably, none of the radio buttons are selected by default. If the selected plan offers free postage without requiring a purchase, the "Next>" button is always available. Otherwise, the "Next>" button is disabled until a purchase amount is selected. If the service plan selected by the user does not require the immediate purchase of postage, an additional radio button should appear which allows the user to select a value of "none."

As described above, the Registration Wizard is capable of gathering all of the information that is required by the USPS for a Meter License Application. The information that is extracted in this wizard is used to generate a USPS 3601A form. FIG. 10A is an exemplary flow of the



Registration wizard component of the Getting Started wizard. When this portion of the Getting Started wizard has begun, the Follow the Yellow Brick Road text is changed to "Apply for a Postage Meter". In block 1010, License Screen #1 serves the purpose of letting the user know that he/she is entering the portion of the wizard where the meter license is filled out. The follow the Yellow Brick Road text will change to meter License application., as shown in FIG. 10B.

In block 1011, the user determines whether they are a business or an end user. In License Screen #2 (block 1012), the user specifies which identification number they wish to use. None of the radio buttons are selected on open, as shown in FIG. 10C. The "Next." button as well as the Tax ID#, EIN, and SSN fields are grayed-out and disabled. When the user selects a radio button, it enables the corresponding field. When the user begins to enter data in a field, it enables the "Next>" button. License Screen #3 (block 1013) is for the user to answer some business related questions, as depicted in FIG. 10D. The "Next>" button is not enabled until the questions are answered.

License Screen #3a (block 101a) only appears to business users. As illustrated in FIG. 10E, neither of the radio buttons are selected by default, and the edit fields and the Next button are preferably unavailable when the user first sees this screen. If the user selects "Yes", the Next button becomes available. If the user selects "No", the edit fields become available. Once all of the required fields have been completed, the Next button becomes available. License Screen #4 (block 1015) of FIG. 10F includes a field in which the user enters a Social Security #. The "Next>" button is not enabled until the field is filled in with a nine digit number. In License Screen #5 (block 1016) of FIG. 10G, neither radio button is selected by default. The "Next>" button is initially disabled. If the user selects the "No" radio button, the "Next>" button becomes available. If the user selects the "Yes" radio button, the "Next>" button is not enabled until at least one set of license and finance numbers have been entered.

FIG. 10H is an exemplary interface for License Screen #6 of block 1017. In this screen, neither radio button is enabled by default. The "Next>" button is enabled if the user selects the "No" radio button or once the revoked reason field is populated if the user selects the "Yes" button. FIG. 10I is an exemplary interface for License Screen #7 of block 1018. In this screen, a check box is used to verify the accuracy of the information. Once the check box is selected, the "Next>" button is enabled and the information is submitted to the server. If the user does not select the checkbox, the only options are to go back and make changes or cancel the Getting Started wizard. In addition to the information that was gathered during the wizard, the following information need also be submitted; OEM #, Tracking #, 3<sup>rd</sup> Party Applications installed, and the address books that were installed.

An exemplary interface for License Screen #8 (block 1019) is illustrated in FIG. 10J. This screen serves the purpose of providing a status to the user while all of the information that has

been provided in the wizard, including payment information, is uploaded. In addition to uploading the information that has been extracted as part of the Getting Started wizard, the OEM tracking ID is uploaded as well. For OEM partners, the ID is in a registry key. Initially, the "Next>" button on this screen is disabled, and only the text in the upper portion of the screen appears. Once the communication with the server is completed, the text "Select Next to continue" appears, and the "Next>" button becomes available.

In blocks 1021 and 1023, the information entered by the user is checked for any potential errors and the errors are reported to the user. Once the information has been submitted, the server is able to communicate if any of three errors occur with the information that the user has provided. These errors include a non unique user name, bad ACH information, and rejected credit card payment. If any of these errors occur, a wizard screen appears that dynamically displays the error that is returned from the server. When the user selects "Next>", the appropriate wizard screen shown in FIG. 10K appears and allows the user to resubmit information. Preferably, the User cannot continue until the error is corrected. After correcting the error, the wizard returns to the submit screen. If an additional error is found, this routine is repeated.

In block 1028, if the user submits a non unique user name, the dialog box of FIG. 10L appears. This dialog box preferably has the same functionality of the user name wizard screen, except that the lower portion (the password portion) is not displayed, the suggest button appears, and the text changes as shown. If the user selects the Suggest button, the client populates the user name field with the suggestion that is sent down from the server. In block 1026, if the ACH check indicates that there is a problem with the ACH information, the dialog box depicted in FIG. 10M appears. This dialog is preferably the same as the select payment screen of the wizard, with one exception; the Payment Type is pre-filled with the selection "ACH" and as a result the ACH fields will be available. These fields are preferably pre-populated.

In block 1027, if a reject on a credit card process is received, the dialog box shown in FIG. 10N appears. This dialog is preferably the same as the select payment screen of the wizard, however, the Payment Type is pre-filled with the original credit card selection, with all of the associated fields pre-filled. In block 1024, the License Screen # 9, illustrated in FIG. 10O, serves the purpose of letting the user know that the meter license portion has been completed, and that the Print Configuration will be next. In addition, this screen dynamically lets the user know what the expected wait time is in the second paragraph based upon a "license approval delay variable" that is downloaded from the server. If the license approval delay variable is "0" (i.e. instant approval) then the second paragraph is not displayed. If the license approval delay has a value other than 0, the second paragraph is displayed and dynamically inputs the delay amount as shown below. The variable number that is provided by the server is in hours. Once this verification is completed the user may proceed to Print Setup wizard, as shown in block 1025.

The Print Setup portion of the Getting Started wizard includes several wizard components, which can be broken out and used individually in the client software. These wizards are brought together into the Print Setup portion of the Getting Started wizard to provide all of the printing oriented checks and tasks that a user should complete before starting with the software. These include: Print Verification, Print QA envelope, and Determine top, center, or bottom envelope feed (if necessary). When this portion of the Getting Started wizard has begun, the Follow the Yellow Brick Road text is changed to "Test Printer". An exemplary flow of the Print Setup component is shown in FIG. 11A.

In block 1101, Print Setup Screen #1 is used to select default printer. This screen, shown in FIG. 11C, prepares the user for testing on the user's printer. A drop down box displays all of the printers that are installed on the user's system, and allows them to select the default printer to be used. When a user selects a printer, this printer is considered as being selected for the print jobs that are performed during this section of the wizard. In addition, this default selection is incorporated into the standard Print Prepare dialog box, and is therefore the printer chosen until the user selects otherwise. None of the printers is selected by default, and the "Next>" button preferably is not available until the user selects a printer.

In block 1102, Print Setup Screen #2, shown in FIG. 11D, allows the user to select two bits of information that are required before the print testing functions can be undertaken. The first is a drop down box, which allows users to select an envelope size to be used throughout the tests. These tests do not allow a user to use labels, so only the envelope options appear. The second bit of information is whether or not the user wants to omit the return address or not. The user prompt is preferably different here than in the Print Options dialog. In this case, if the user selects, "yes", the return address is printed. If the user selects "no", the return address should not be printed. The answers to both of these items are stored and used for all testing undertaken within this portion of the wizard. The information that is gathered here is also used to populate the corresponding fields within the Print Postage and Print Options dialog boxes when the user first launched these screens. Neither the envelope sizes, nor the radio buttons contain values by default. Furthermore, the "Next>" button is preferably not available until the user selects an envelope size and answers the yes/no question.

In block 1103, it is determined whether the default printer information is in the printer database. If the printer information is not in the database, a printer troubleshooting routine is performed, as shown in block 1104. If the printer information is in the database, printer Screen #3, depicted in FIG. 11E, appears. This screen serves the function of notifying the user that postage is about to be printed, and making the user aware that an envelope must be loaded into the feeder. A graphic of an envelope being placed into a printer is preferably used to help reinforce the action to the user. This screen is used multiple times during the Printer Setup portion

of the Getting Started wizard. See the flow diagram for further details. The "Next>" button is available immediately. Once the "Next>" button has been selected, a sample QA envelope is printed, as shown in block 1106. In block 1107, the sample is compared with a sample shown in Printer Screen #4 of FIG. 11F. In this screen, neither of the radio buttons is selected by default, and the "Next>" button is not available until the user selects one. In block 1108, if the samples do not compare, printer troubleshoot 2 is activated to perform the troubleshooting task, as illustrated in block 1109. If the samples compare correctly, the printer information is uploaded and the money in the meter is checked, as shown in blocks 1110 and 1111 respectively. In one embodiment, if the user does not supply a QA envelop, the client software prevents the user from printing the VBI.

Similar to Printer Screen #3, Printer Screen #4 serves the function of educating the user about QA envelopes, notifying the user that postage is about to be printed, and making the user aware that an envelope needs to be loaded into the feeder. A graphic of an envelope being placed into a printer is used to help re-enforce the action to the user. This section of the wizard, illustrated in FIG. 11G, only appears if there is money in the user's meter (this requires instant meter approval), as shown in blocks 1111 and 1112. The "Next>" button is available immediately. Once the "Next>" button has been selected, a QA envelope is printed in block 1114.

Next, in block 1115, Printer Screen #6, shown in FIG. 11H, appears. This screen's primary function is to educate the user that the QA envelope should be sent in immediately, or the user's meter license may be revoked. A graphic of an envelope being placed into a mail box is used to help re-enforce the action to the user. The "Next>" button is available immediately.

In the event that the user's printer is not in the printer database, the Print Configuration wizard is initiated. An exemplary flow for the Print Configuration wizard is shown in FIG. 11B. The first screen in this wizard is Printer Setup screen #3 (see FIG. 11E), which prompts the user to place an envelope in the printer feed tray. Once the user selects "Next>", a pattern including a circle, a square, and a triangle is printed. Only one of these shapes completely prints onto the envelope fed through the printer, so based upon which shape appears to the user, the system can ascertain if the printer feeds envelopes from the top, center, or bottom. The Printer Screen #7, shown in FIG. 11I, provides a means by which users can tell the client which of the shapes appear on the envelope. This is done through a series of radio buttons. None of the radio buttons is selected by default, and the "Next>" button is not available until the user selects one of the options. If the user selects either the circle, square, or triangle, the appropriate offset is made, the information is sent to the server, and the user continues with screen #8 as shown in block 1126 and 1127.

In block 1123, if the user selects "none of the above match what I see" on screen # 7,

Printer Screen #8, shown in FIG. 11J, appears to ask the user which option the user would like to pursue at this time. Three radio buttons provide the options. If the user selects the Try printing another sample option, another shape design is sent to the printer, so that the comparison process can be undertaken again. Selecting the Try printing another sample to a different printer option links the user back to screen #1 of the Print Setup, allowing the user to select another printer and start the process again. Selecting the Neither of these solutions work option indicates that the system cannot determine a feed offset and therefore cannot print envelopes using the user's printer. When "Next>" is selected, the message on screen #9 conveys this to the user. None of the radio buttons is selected by default, and the "Next>" button is not available until the user selects one of the options.

If the user selects "neither of these solutions work" on screen # 8, print envelope is disabled and Printer Screen #9, shown in FIG. 11K, appears to ask the user to let the user know that he/she is not able to print postage onto envelopes, only onto labels (see blocks 1128 and 1129). The "Next>" button is available immediately. Once selected, the client preferably disables printing to envelopes. A Finish portion of the Getting Started congratulates the user for completing the wizard, and launches the client. When this portion of the Getting Started wizard has begun, the Follow the Yellow Brick Road text is changed to "Finish". An exemplary interface for Finish screen #1 is illustrated in FIG. 11L. The "Finish" button is preferably available immediately. Once the "Finish" button has been selected, the user is ready to launch the client software.

A re-registration process allows users to re-register across systems. An exemplary flow for the re-registration process is shown in FIG. 12A. To begin the re-registration process, the user logs in as normal via the login dialog box shown in FIG. 12B. The client sends the User Name, Password, and system identification information to the server. After checking for the validity of the user name and password, the server checks if the user is currently registered on the current system, or on another system. In block 1203, if the user is registered on the current system, login continues as normal, as shown in block 1204. If the user is currently registered on another system, in block 1206, another check is made to determine if the user is currently logged into the provider's service. In block 1207, if the user is already logged in, the message in FIG. 12C appears. In block 1209, when the user selects "OK" the login attempt is aborted. In block 1208, if the user is currently registered on another system, and is not currently logged in, then the dialog box of FIG. 12D appears. This dialog box prompts the user as to whether the user wants to re-register is/her account on the current machine. In block 1210, if the user selects "Yes", the account is re-registered (block 1211). If the user selects "No", the login attempt is aborted (block 1212).

The client print engine prints a Facing Identification Mark (FIM) in accordance with USPS

specifications. Preferably, the FIM is printed within 1/8" from the top of the envelope, and no more than 2 1/8" from the right hand edge, as shown in FIG. 13A. A print engine supports as broad of a range of printers as possible, utilizing whatever specialized techniques that are deemed appropriate for proper printing of the postage indicia (i.e. rotation and virtualization). Before rotation is applied to an individual client, a verification is performed to verify that the user's printer and print driver are known to work with this technique. This is accomplished using a check against a database of printers and printer drivers that are known to work with rotation within the client software. This database is preferably created through hands on testing. Some examples of print dialog boxes for the Print Postage dialog box, Print Prompt dialog box, and Printing Options dialog boxes are shown in FIGs. 13B-13I.

A Print Postage dialog box is the main interface from which a user defines the postage to be printed. An exemplary interface for this dialog box is illustrated in FIG. 13J. Return Address items are grouped within their own frame. The Return Address box is editable, allowing users to customize the return address by simply typing into the box. Delivery Address items are grouped within their own frame. The Delivery Address box is editable, allowing users to insert a delivery address by simply typing into the box. If a user adds an address which is not in the address book, the user is prompted whether or not the address is added. In the event that only a single recipient is chosen, the address is displayed in the same format that it is in the return address window. If multiple recipients are selected, the view is that of a list box displaying the names of all of the recipients that have been chosen. If multiple recipients are selected and different recipients require mailing to different zones, then the cost of postage is displayed next to that recipient.

"Do not print the Return Address" is unchecked by default. Mail Type toggle buttons enable the user to select whether the mail to be sent is a letter, flat, box or oversized box. This information is used to determine what labels and/or envelopes are available to the user, as well as what the postage rate will be. The letter toggle is selected by default. Mail type description field provides a brief description of the mail type that is currently selected with the Mail Type toggle buttons. Print On list box allows user to select from all Envelopes and Labels. The items displayed in this list box are determined by the type of mail that was selected in the previous list box. If a letter is selected, only envelopes and labels approved by the USPS are available. If a flat or box is selected, only labels approved by the USPS are available. No values are selected by default.

The Enter Weight fields allow users to type in values or select them using spinner controls. If the user has set up a digital scale, clicking on the scale button automatically pulls the value from the scale and displays the value in these fields. After the initial use, the fields remember the last value. The "Select a Service" control is a list box, which shows the various services that are

available and also displays the cost of each type of service for the mail piece that has been defined. The prices update as the user inputs information into the Enter Weight fields. If the user is typing a value, the display immediately updates as the user types. If zone based postage is used, and if multiple users are selected, the range of costs is displayed. Once a user has selected a mail service, a graphic of a check mark should appear immediately to the left of the item as shown. None of the items are selected by default. Available Postage display displays the available postage amount. Total Mailing Cost displays the cost of the total mailing when multiple recipients are selected.

Preview Window is dynamic, depending upon the selection from the "Print Onto" list Box. Print button decides whether to print a sample or real postage. This single print button advances the user to the Print Prompt screen. Options button launches the appropriate options dialog box, depending upon the selection type into the "Print Onto" list Box. If an envelope is selected, the Envelope Options dialog box will be launched. If a label is selected, the Label Options dialog box appears. In the event that multiple recipients and/or zone based postage rates are selected, portions of the Print Postage dialog changes slightly in their functionality, as shown in FIG. 13K.

In the exemplary screen of FIG. 13K, when multiple recipients are selected, they are displayed as a list with only the recipient name showing. When multiple recipients are selected which span multiple zones, the price of the mail piece going to an individual recipient is displayed next to the recipient's name. This display only appears after a weight value that warrants zone based postage has been entered. The Select a Service list box shows a range of prices for the mailings. The Cost of Mailing display appears when multiple recipients are selected, and provides the user with a total cost for the mailing.

After the user has selected "Print" from the Print Postage dialog box, the Print Prompt dialog box of FIG. 13L appears. The Print Prompt dialog box takes on several functions, including selection of the printer, printer paper feed, and determination of whether a sample or real piece of postage is being printed. The printer list boxes provide a selection of available printers. Standard Windows displays (optional) display the selected printer. Existing printer feed information displays relevant information about the selected printer. Print Internet Postage and Print Sample buttons print postage, and the Configure button launches the Print Configuration wizard.

Envelope Options dialog box, depicted in FIG. 13M, is launched from the Print Postage dialog box when two conditions are met: 1) the user selects the "Options" button, and 2) an envelope is selected in the "Print Onto" drop down box. Do not print a FIM check box has a small graphic icon to let the user know what the FIM barcode is. Postdate Mail piece control has a text description as shown. If the user selects the check box, the edit box becomes available to

allow editing. Indicium correction items allow the user to print two forms of special Indicia: postage correction and date correction. Return Address Graphic control allows the user to select a graphic to be printed with the return address. Return Address adjustments and Delivery Address adjustments controls provide margin adjustments for the return address and delivery address, respectively. Indicium graphics that can be displayed within the Indicium are preferably controlled by the provider. To accomplish this, the system provides graphics for the Indicium in a digitally signed format, embedded within a DLL. At a minimum, this graphic is used for OEM partners. The system also provides clip art for the Indicium graphics. The system therefore makes sure that this DLL can be downloaded on its own, so that a clip art library can be updated without forcing a complete download of the client. If the DLL is not present, this control is unavailable.

FIG. 13N is an exemplary interface for a Label Options dialog box. This dialog box is launched from the Print Postage dialog box when the user selects the "Options" button, and a label is selected in the "Print Onto" drop down box. Do not print a FIM check box control has a small graphic icon to let the user know what a FIM barcode is. Postdate Mail piece control has a text description as shown. If the user selects the check box, the edit box becomes available. Indicium correction items allow the user to print two forms of special Indicia: postage correction and date correction. Indicium graphics that can be displayed within the Indicium are preferably controlled by the provider. To accomplish this, the system provides graphics for the Indicium in a digitally signed format, embedded within a DLL. At a minimum, this graphic is used for OEM partners. The system also provides clip art for the Indicium graphics. The system therefore makes sure that this DLL can be downloaded on its own, so that a clip art library can be updated without forcing a complete download of the client. If the DLL is not present, this control is unavailable. Delivery Address font control allows the user to change the font of the Delivery Address by launching a secondary dialog box.

A Print Configuration wizard helps the user undergo three major processes: determining top, center, or bottom offset (if needed), providing print verification, and Printing a QA envelope. The print engine preferably incorporates the provider's logo into the Indicium. Rather than integrating a single static logo graphic, the print engine accommodates a scalable graphic. The reasoning behind this is as follows. In order to conform to the FIM placement standards which requires that the FIM consistently be printed 2" +/- 1/8" from the right hand edge of the envelope, the space available between the FIM and the human readable portion of the Indicium will change depending upon the right hand margin of the printer used, as shown in FIG. 14A. The logo is scaled to the maximum size available given the space constraints which arise from the individual printer margin. This approach ensures that the maximum log size is always used, as shown in FIG. 14B.



A means by which users can customize their mail piece with a graphic file of their choosing is provided by the system. The system provides users with the ability to incorporate a graphic into the return address space. Specifically, the client software allows the user to incorporate a standard graphic into the area to the left of the return address, as shown in FIG. 15A. The default state is that no logo is selected for this position. In the event that no logo is selected, the layout is as shown in FIG. 15B. The controls for the determination of the image to occupy this space are found in the Print Postage Options (Envelope Printing Options) dialog box of FIG. 15C. When Include Graphic check box is selected, it indicates that the print engine should print a graphic file. When this check box is not selected, the print engine should not print a graphic. The default for this check box is unselected. Selecting the Browse button opens a standard file browse dialog box, which allows the user to browse for and select a file. Preview Window provides a preview of the selected graphic once it has been selected.

A personal address book may be used by the user to print addresses on the mail pieces. The client's native address book is functional even when the user is offline. Specifically, the user is able to add addresses, edit addresses, import addresses, and remove addresses without requiring the user to login on-line. In order to ensure that every address that is entered, modified, or imported undergoes an AMS check, addresses undergo an AMS check at the time the postage is printed to an address (see Printing description). In addition to the native address book, the system provides support for a variety of external address books. Examples of some of the address books supported include Microsoft Outlook™, Schedule+™, Symantec ACT!™, Lotus Organizer™, Lotus Notes™, GoldMine™, Microsoft Windows Address book, and the like.

The client's support for the external address books is such that the user can read data from any of these address books from within the standard client address book interface. The data is able to be read in real time. In addition, the user is able to make changes to addresses and write these changes back to the external address book. In order to allow the user to select which address book to use (either the native or any of the third-party address books), several controls are added to the client Address Book interface, as shown in FIG. 16A. Select an Address Book combo box contains a list of all address books that are supported by the client, and have been installed by the user. The default is set to the system's address book. Preferably, this drop down box remembers the last selection. Select a database or file combo box control displays a list, which includes the default file or database (depending upon the provider), and any other file that the user has previously opened using the browse button. Browse button allows the user to open additional files or databases for the address book selected by launching the appropriate "open" dialog for the provider. Preferably, when possible, the only controls on the provider's Address Book open screen is the bare minimum that are required to open a file. The user can modify addresses using the "properties" button. Based upon which address book is selected, a different

set of fields is displayed within the edit properties dialog box. The fields map to the format of the address book that is selected. The user has the ability thereafter to switch address books on-the-fly, by selecting the appropriate address book from the selection box as shown in FIG. 16A.

... In one embodiment, the code that provides support for each address book is created as a plugin, allowing users to only download the address books that they want support for. The install routine provides a means by which users can select which address books are downloaded, and automate the installation of the plugin applications. Support is provided for importing other address data. For example, the system provides import filters for the following: Daytimers, the Learning Channel products, MYOB, and the like. Also, address books support standard group capabilities. The system is capable of providing support for foreign addresses, and is able to pass AMS matching checks. Furthermore, the system provides the capability to print addresses that have been returned by AMS in a format that includes both upper and lower cased alpha characters. In other words, the address that is printed should preferably have the same formatting of upper and lower case characters as the user originally entered. When multiple recipients are selected from the address book, the dialog box shown in FIG. 16B appears to educate the user about multiple recipient selection. Selecting Ok closes the dialog box and returns the user to the Print Postage dialog box. If the user selects the check box (which is unselected by default), this dialog box will not appear again in the future.

The address book within the client provides a utility to import text files that have been exported from other address books. Typically, when a user imports a text file, the user need to "map" the fields from the original file into the fields of the destination file. This is very cumbersome for the user, and often prevents users from successfully importing files. To avoid forcing the user to map fields, the system provides import "filters," that are unique filters written for each address book. Since each filter is unique to an individual source file, the filter knows the data field structure of the source file (and it knows the data structure of the destination system address book). With this knowledge, the import filter is able to import files from other address books without requiring any data structure input from the customer. To meet the brandability needs, the system accommodates an easy addition of import filters.

The system also provides a flexible messaging system, which includes a communication channel between the provider and its users through the client software. Messages may be created by various departments within the provider's organization and are pushed by the server to one of several types of messaging dialog boxes. Some examples of messaging dialog boxes are described in detail below.

FIG. 17A is an exemplary message dialog box. The graphic indicates the message category, the Text box displays characters of text in a non-editable text box, the URL Link button is dynamic and is available only when a URL address is included with the messages, and the OK

button closes the dialog box. If applicable, selection of the OK button also executes a function (see specific cases, below). For client / server communications, the server is able to assign a message to any of the following: Individual users, all users, and a group of users (defined by any attribute that system stores). The client checks the server for messages awaiting the individual user at login. If a message is found for the individual user, the server sends the following information down to the client: Message type, Message Text, and URL link. In addition, if the message type is "payment" the following information are also sent: date of payment rejection, type of payment for payment rejection, account for payment rejection, and amount of payment rejection.

In the event that a message is awaiting a user at the time of login, the client displays one of several types of messaging dialog boxes. The specifics of the dialog box that is displayed is dependent upon the "Message Type" that awaits the user. Generally speaking, the types of messages available fall into one of two categories: generic or template. The generic message type includes marketing messages, customer support messages, etc, where the intent of the messaging is simply to communicate with the user and perhaps provide a URL link. The template message types include payment resubmission, email resubmission, and plan change notifications, where in addition to sending a message to the user the messaging dialog box allows the user to take action on the message. In one embodiment, template dialogs are hard coded into the client system to accommodate the special actions that are taken. Marketing Messages allow the provider to communicate with the user base. For example, the Marketing Message dialog box allows the provider to promote an item that is sold on their web site, and provide a URL link to that item. An example of the specific components of a marketing message are shown in FIG. 17B. In the Icon graphic, a generic Marketing Message icon appears. The text for Text box is customizable at the server. If the provider wants to associate a URL with the message, a URL link button named "More Info..." appears. The OK button closes the dialog box.

A Customer Service Message is preferably the same in functionality as the Marketing Message dialog box, except that the graphic icon is different. The different graphic communicates to the user that this message is a different type of message than a Marketing Message. The Customer Service dialog is designed to communicate customer support issues, as shown in FIG. 17C. A Credit Card Promotion message type, as shown in FIG. 17D allows the provider to broadcast credit card promotions to the users. The graphic icon communicates the message type to the user. In one embodiment, this graphic includes the MasterCard logo. The text on the URL link button reads "Apply Now". FIG. 17E is an exemplary dialog box for Payment Resubmission Message. The Payment Resubmission Message is a template type of message. The purpose of this template message box is to convey to a user that a payment has been rejected, and facilitate a payment resubmission by the user. As illustrated in FIG. 17E, a

Payment Message icon appears in the icon graphic. The Text box is dynamic, explaining the details of the failed transaction. The end of the message typically reads "Select OK to resubmit your payment," and the OK button closes the dialog box and launches the purchase postage screen.

Email Resubmission Message is a template type message, whose purpose is to notify a user when the system does not have a valid email address for him/her, and enable the user to provide this information. Exemplary elements of this type of message dialog are shown in FIG. 17F. An Email Message icon appears in the icon graphic. The text for the Text box is static and the contents of the text box are shown in the graphic. An Email edit box allows the user to enter an email address, and the OK button closes the dialog box, and sends the user's email address to the server.

A Change in Service Plans Message (also a template type message), indicates when new plans are available to a user, or if the user's current plan is going to be grandfathered. This message dialog basically indicates the change to the user and links the user to the change plans dialog and to more information about change plans, if desired. Exemplary elements of this dialog are shown in FIG. 17G. As shown, a Service Plans Message icon appears in the icon graphic. The text for the Text box is dynamic, and displays the plan changes. This text ends with the text string "Select 'OK' to view the new plan, or cancel to continue. The OK button closes the dialog box, and opens the Change Service Plans dialog box. The Cancel button closes the dialog box without opening the Change Service Plans dialog box. A Message Log is created to list a history of the messages that a user has received. This log is accessible from the "Accounts" screen, and have the standard layout and capabilities of the other logs within the client.

The client software checks for available updates at the beginning of the installation routine, before any files have been installed, and at each login. At each of these times, the client checks for an available update. If an update is available, a dialog box appears. This dialog box provides a message which communicates the details of the available update, and provides a URL link to a website where the update file can be downloaded. The update file may be classified as either mandatory or optional. If the update is mandatory, the update is installed by the user. If the update is optional, the user can choose whether or not to install the file. There are no restrictions regarding how many update messages can be sent out, and the update message is not tied into the standard messaging described earlier in this document. The auto update feature is able to copy individual files so that a version can be updated without requiring a complete update.

In one embodiment, the system includes OEM branding capabilities. The system allows for the customization of the installation script in several ways, including the option of running a silent install, defining a default installation directory, and defining a default installation group. The default behavior of the installation routine is to run as an application that is visible to the

user, and requires user input on multiple screens during the installation process. The system provides the option of a "silent install", which installs the program files to the user's system without being visible, and without requiring user intervention. The installer is told where to install the product's files. While the user may choose to install the product in any directory location they want, the installer offers them a choice consistent with the product identity. Every product is placed in a sub-directory within the master directory. The OEM partner has the ability to provide a name for both the master directory and sub-directory into which the product is installed. Program group, or "folder", is the location in which the installer displays the product if the user does not manually choose a different one. The system allows the OEM partner to customize the Default Program Group name. The OEM partner does not have the ability, however, to change the name or associated icons of the items within the group.

The system provides the ability to co-brand the software by providing prominent partner logo placement on the main screen within the software. In one embodiment, the logo placement is in the upper left hand corner of the main screen, below the provider's logo. An example of the layout of the provider's logo and the partner logo are shown in FIG. 18. The client software provides URL links which can be defined by the OEM partner. Specifically, the client software allows URL links to be embedded within two areas of the main client screen, the provider's logo in the upper left hand corner of the main screen, and the partner logo on the main screen. The system also provides a space within the postal indicium that is designated to display a logo or slogan of the OEM partner.

The system incorporates client server technology which enables the provider to provide OEM partners with data that tracks the postage usage of customers who are using that OEM's version of the client software. The client software embeds a unique OEM identifier within each OEM version of the client software. Once a user has registered with the provider, that user is thereafter associated with the OEM that is identified within their client software. This association, as well as all tracking activities, are transparent to the user and require no additional intervention by the user. In the event that a user gets the client software through an Affiliate Partner's web site, the account number that a user is assigned will embed in it information that identifies the source Affiliate Partner. Therefore, this account number is uploaded to the Postal Server, which occurs at the end of the Registration wizard. In the case of an affiliate partnership, the tracking number is extracted from a cookie that has been downloaded onto the users computer. The details concerning formatting and requirements of the cookies are covered in a separate document.

A change of Address wizard is designed to help a user through the process of changing either a physical or mailing address, and the meter license ramifications that may result. An exemplary process flow of the Change of Address wizard is shown in FIG. 19A. In block 1901,

the Change of Address Screen #1 serves the purpose of welcoming the user to the wizard using the text as shown in FIG. 19B. Selecting "Next>" advances the user to the next screen of the wizard. In block 1902, the Change of Address Screen #2 allows the user to enter a new mailing address and/or physical address. As shown in FIG. 19C, the controls used are the same as are used in the Addresses screen of the Getting Started wizard. The only difference is in the introductory text. The client checks for a PO Box in the physical address fields. If a PO Box is provided, the error message indicates that a PO Box is not acceptable. These fields are preferably pre populated by default. In blocks 1903 and 1904, addresses are checked and in block 1905, the Change of Address Screen #23, shown in FIG. 19D, appears. This screen preferably serves the same purpose as the Submit screen of the Registration Wizard, and preferably uses the same controls. One difference is that in this case, the only information that is populated is the address information that is provided in screen #2.

Change of Address Screen #4, shown in FIG. 19E appears when a change in the meter license is not required (i.e. if the physical address hasn't changed or if the physical address hasn't resulted in a changed LPO), as shown in blocks 1906 and 1907. In this event, in block 1910, the server submits a 3601C form, and this screen appears to let the user know that the address has been successfully changed. The Change of Address Screen #5 (shown in FIG. 19F) educates the user about the process that needs to be undertaken in order to withdraw and reapply for a meter license. Selecting "Next>" prompts the user with a warning dialog box, as shown in FIG. 19G. If the user responds "Yes" to the warning, the meter is withdrawn, and "moved" is inserted into the reason for withdrawal on the 3601 C form (see block 1913), and the mailing address that is provided at the beginning of this wizard is used for the mailing of the refund check. This withdrawal should not result in a "slot" becoming available for a brand new user, as this user will re-register momentarily and take the "slot" again. If the user enters "no", the wizard is canceled.

Change of Address Screen #6 notifies the user that their meter license has been withdrawn. In addition, it prompts the user for a new user name and password. The controls used for this screen, shown in FIG. 19H, are the same as those used in the user name screen of the Getting Started wizard. The client verifies with the server that the user name is unique. The client also verifies that the password meets the preferred basic criterion for example, of 6 characters minimum, with at least 1 alphabetic character and 1 numeric character. Change of Address Screen #7 (shown in FIG. 19I) lets the user know that the final step is to go through the Registration Wizard. Selecting "Next>" launches the Registration wizard with all known fields being pre populated. In addition, the wizard preferably should not check for an available "slot", since the users are just using their existing "slot".

In one embodiment, the system includes a dialog box, which can change payment

methods and be accessed from the Account screen. An exemplary interface for this screen is illustrated in FIG. 20A. This screen preferably has the same functionality as the Select Payment Method screen of the Getting Started wizard, but formatted into a dialog box format. This dialog box is dynamic. The Select Payment Method screen of the Getting Started wizard is also dynamic. When the user first sees the dialog box, the only control that is available prompts the user for a Payment Type (i.e. Visa, MasterCard, American Express, ACH). If the user selects any of the credit card types, the screen dynamically builds to add the additional controls that are required to extract credit card information, as shown in FIG. 20B. These controls are described in the Getting Started wizard above. If the user selects ACH, then the screen builds dynamically to contain controls that extract the ACH information that is necessary in order for the provider to bill an account. The specifics on these controls are discussed within the Getting Started wizard above, and are integrated into the dialog box setting, as shown in FIG. 20C.

In one embodiment, the system allows the user to change the service plan in which the customer is participating. This is accomplished through several screens which have many of the attributes of the Service Plan screens within the Getting Started wizard. This functionality is accessed when the user selects "Change Service Plan" from the Accounts screen. Once the user selects "Change Service Plan" from the Accounts screen, the Change Plan dialog box (shown in FIG. 21A) appears which has controls that are similar to those found on Service Screen #7 in the Getting Started wizard with one addition. Specifically, a line of text is added at the top of the screen that displays the name of the Service Plan that the user is currently signed up for. Once the user has selected "Ok" in the Change Plan dialog box, the Change Plan Contract dialog box, shown in FIG. 21B, appears. This dialog box preferably uses the same controls as screen #8 in the Getting Started wizard (described above), and displays the contract for the new service plan that the user has selected.

If the user selects the "I Accept" radio button on the Change Plan Contract dialog box, and then selects "Ok", the dialog box shown in FIG. 21C appears. The purpose of this dialog box is to communicate to the user when the change will come into effect. Selecting "Ok" completes the Change of Service Plan process. If the user selects the "I do NOT Accept" radio button on the Change Plan Contract dialog box, and then selects "Ok", the dialog box of FIG. 21D appears. This dialog box provides a warning to the user that unless the contract is accepted, the service plan will not be changed. If the user selects the "Go Back" button, this dialog preferably closes and the Change Plan Contract dialog should appear again. If the user selects the "Cancel" button, the change of plans process is canceled.

FIG. 21E depicts a dialog box that allows users to inform the provider when their email account names have been changed. This dialog box is accessible from the Account screen. The edit box control on this screen allows the user to enter a new email address. If the user enters an

address and selects OK, the client uploads the new email address to the server. If the user selects Cancel, the operation is canceled. A Change Password option in the Account Screen is provided. The dialog box that is launched from this option is updated to reflect the password functionality as defined in the Getting Started wizard. In one embodiment, the password screen requires a new password type. The preferred requirements for the new password type are that the password be at least 6 characters in length, have at least 1 alpha character, and at least 1 numeric character. A password recovery function allows a user to get a new password in the event that it is forgotten. This process does not require the user to interface with Customer Service. This process relies upon the secret code or key word phrase that the user provided in Service Screen #4 of the Getting Started (at the end of the Getting Started wizard, this keyword is uploaded to the server and stored as part of the user's personal profile).

The initial login screen provides the interface whereby the users typically inputs their passwords. If a user enters incorrect information, a message such as the one shown in FIG. 22A appears. As an added measure of security, if the user enters incorrect information ten times, the system keeps showing the user the above message even if the user enters the correct information. The user is forced to close and re-open the client to try again (although they won't know this) or contact Customer Support. If the user enters the information correctly, the confirmation message shown in FIG. 22B is displayed. The "OK" button closes the client. If the user never receives the email or the letter, they preferably have to repeat the process to have a new password sent out. The Customer Support (CS) Manager is able to modify the text of the Reset Sample email by going through normal operational email update procedures.

Once the user gets the temporary password, the user uses it to log in as normal. Once the server verifies that the password is valid, an additional check is made to determine whether the password that is provided is a temporary or long term password. If the password is a temporary password, then the client software launches the change password dialog box, and does not allow the box to be closed until the user enters the old password and a new one. A Message Log lists a history of the messages that a user has received from the provider. This log is accessible from the "Accounts" screen, and have the standard layout and capabilities of the other logs within the client.

FIG. 23 is an exemplary interface for a Withdraw Meter dialog box. Reason for withdrawal combo box allows the user to select a reason why he/she is withdrawing the meter. The user can type in their own response or select from any of the following standard responses; too expensive, difficulty connecting, too much lost postage due to printing mistake, no support for windowed or pre-addressed envelope, incompatibility with other software, requires printing of address and 'stamp' together, no longer have significant mail volume, poor customer support, and the like. Future Products used combo box helps better understand why customers are



terminating the provider's service. Specifically, this control allows the user to indicate what postal solution he/she will use in the future. The user can type in a response or select from the following: regular stamps, postage meter, or alternative Internet Postage product. A prompt appears in the combo box that reads "<type in or select one>", if the user chooses to type in a response. Address fields define where the refund check will go. These fields are pre-populated with the user's mailing address, but the user can make any desired changes to the address. Once all of these fields are filled in, selecting the OK button submits a request to withdraw a meter to the server. The server processes the appropriate withdrawal forms to the USPS on the user's behalf.

A Postal Meter License wizard is also provided. This option within the Options screen launches the new Registration wizard (which is a subset of the Getting Started wizard). The specific screens that make up the Registration wizard are shown in the process flow of FIG. 24. The screens numbers in the process flow of FIG. 24 refer to screens of FIGs. 10B-100 of the Getting Started wizard portion of this document. In order to change an address, the user selects the Change of Address wizard.

A Setup Digital Scales option is also provided. This new option launches the Setup Digital Scale dialog box shown in FIG. 25A. This dialog box is used to select and configure digital scales. In this dialog box, Select a Scale combo box allows the user to select from a list of supported digital scales. This list checks for all scales that are supported, such as the Weightronics™ digital scale. Select COM port combo box allows the user to select which COM port the digital scale is attached to. The list includes all of COM ports on the user's system. Web Link button links the user to provider's site. The test button runs a test to make sure that the communication to the selected scale on the selected COM port is functional. If the test successfully communicates with the scale, the dialog shown in FIG 25B appears. If the test is unsuccessful, the dialog box shown in FIG. 25C appears. The system supports the calculation of postal rates based upon zones. As a result, the system is able to support Express and Priority mailings. The implications of zone based postage are discussed in the printing section of this document.

Every "View History" dialog box adds print functionality, so that historical reports can be printed. Specifically, the View Postage Purchase History, View Postage Printed History, and View Messages History all add a Print button at the bottom of the screen. The number of events that are printed is defined by the purge control, which also controls the number of items that are displayed.

In one embodiment, the client software is web-enabled, i.e., integrated with HTML to access web information content areas. For example, Primary Welcome, Online Store, Business Tools, Shipping Tools, and Online Support sections can easily be accessed using the HTML

integrated client software. Welcome section provides a familiar place to orient the user and provides educational tips on how to use the client software. On-line stores such as Buy Supplies provide access to the on-line store and follows through with the purchase process. On-line Support furnishes live and HTML support through the component. Although HTML is used here as an example for web development languages, other web development languages may be used as they become available.

Support includes interactive chats. Shipping Tools page is integration with some shipping companies within the client software that enables the user to access the features and services available by a shipping company. Business Tools is a help and marketing vehicle for informing users about special services and special deals related to an on-line VBI provider, such as Stamps.com. This section can be used by a marketing department to promote special offers, supply information about the USPS.

The HTML integration provides for current and future integration of a variety of web-based applications such as, on-line stores, shipping companies, on-line support and promotional deals related to the customers. Integrating the client software with HTML provides a seamless experience for most of the actions related to the applications.

In one embodiment, the HTML integration is carried out using IE Component. IE Component is a Microsoft™ Internet Explorer™ (IE) Active X object that can be called within a program. The IE component is installed as part of the operating system or browser install, and resides on the client machine. The user may select a default browser for the client machine. This may be any one of many browsers. A HTML action invokes either the IE Component, or the default browser if the IE Component is not installed. The client software targets some pre-determined URLs for accessing pre-determined information contents. Web integration may also be implemented using JAVA based applets.

In one embodiment, only pages from approved domains appear within the client software. The approved domains are listed on a page residing on a web server. Pages outside of the approved domains launch the default browser. The page is retrieved only at the first connection of the client to an on-line state, and resides in memory. Preferably, no pages defined as a home page take the user to a non-approved domain. The format of the page is standard HTML, except each URL is separated by a carriage return. If multimedia is used in any way within content, there may be an alternative way to view the content as static HTML. A link to download the multimedia reader, i.e. plug-in, is also available. Using Dynamic HTML (DHTML), multimedia content may be fully integrated with the client system.

Pop-up windows are of a size that allows the application to be viewed in the background. These pop-up windows are considered modeless, i.e., a user does not have to complete the action to return to the application. However, in some cases, a pop-up window may have a modal

function. These windows typically allow navigation only in an area consistent with a respective content. At the end of that content and on every page, there is an option to close the window, shown graphically or as a hyperlink. In these windows, scrolling is typically kept to one screen. Typically, the windows do not link outside approved domains. Links outside of the domains launch the default browser with full functionality. Pop-up windows are preferably used for functionality, i.e. lookup tables, or to illustrate a step-by-step process. Typically, closing a pop-up window does not close the application, and closing the application does not close the pop-up window.

Preferably, the content for primary sections stays within that section. For example, Customer Support and Feedback have no content links to areas outside their sections for On-line Support. Advertisements and promotions within On-line Support is considered non-primary content. Welcome may have promotions, but they are not hyperlinked, except to launch the default browser. Business Tools and Buy Supplies can have promotions, but once outside of the primary navigation they spawn the default browser. Any search forms or other navigation that allows free-form surfing through the site is preferably removed.

FIG. 26 is an exemplary process flow for accessing a function or web page by an off-line user (block 2602). If the user clicks on the left navigation, and it is the Welcome Screen, the page is displayed. If the desired function is not the Welcome screen, the user accesses the function by clicking on an item or logging in, as shown in block 2604. The application then checks to see if the accessed function is a Web function, as shown in block 2606. If it is a web function, the application displays a dialog in block 2612 that asks if the user wants to connect or stay offline. If the user clicks Connect, the operating system activates the default dialing action and connects to the Internet, as shown in blocks 2614 and 2620. If the page is an approved URL, the page is displayed within the client. If the user decides not to connect to servers and the accessed function is a Win32 function (block 2616), an error window is displayed. If the accessed function is not a Win 32 function and the user has a browser, such as IE (block 2618), and the accessed function is the Welcome page (block 2624), an embedded HTML Welcome page is displayed, as shown in block 2626. Otherwise, an error window is displayed (blocks 2622 and 2628). The Welcome screen is a complete HTML page embedded within the client.

In one embodiment, if the user clicks Stay Offline, the system displays the last HTML page viewed in that navigational section. If there is no page cached for that section or that section hasn't been accessed on-line, a watermark page for offline mode is displayed. If the function is a Win32 function, the client checks if it is a function that has to be performed on-line. If the function has to be performed on-line, the application shows a dialog that asks the user to connect. If the user clicks Connect, the operating system activates the default dialing action and connects to the Internet. The application software automatically goes on-line in this scenario.

If the users click Stay Offline, the application does not go forward, and the dialog for the corresponding action is displayed but does not take action.

If the user does not have the IE Component, the Welcome Screen is displayed as a bitmap screen. If the user clicks on the left navigation, and it is the Welcome Screen, it displays the page. If it isn't, the application checks if it is a Web function. If it is a web function, the application spawns the default browser. The left navigation indicates the selection, and the watermark with no indication type is displayed. If there is no browser on the system, or the browser is damaged, a dialog is displayed that says the function requires an Internet Browser, and the application could not find one on the system. All pages requiring a browser display a watermark screen indicating there is no default browser.

FIG. 27 is an exemplary process flow for accessing a function or web page by an on-line user (block 2702). If the user has a browser (block 2704), a Welcome Screen which is a HTML page, partially embedded and partially dynamic is displayed, as shown in block 2706. If the user clicks on the left navigation, and it is the Welcome Screen, the page is displayed. If the user is on-line (block 2710) and the page is an approved URL (block 2712), the page is displayed within the client, as shown in block 2714. If not, in block 2716, the application launches the default browser and the page is displayed there. If an error occurs with the page, an error page embedded within the client is displayed. Preferably, the page has a logo in the top left corner and text describing the error generically, and is contained within the Win32 portion of the client.

If the user does not have a browser (block 2704), the Welcome Screen is a bitmap screen. If the user clicks on the left navigation menu item (block 2720), and it is the Welcome Screen, the software displays the page. If the menu is not the Welcome Screen, in block 2722, the application checks if the item is a Web function. If it is a web function, the application spawns the default browser, as shown in block 2724. The left navigation indicates the selection, and the watermark is displayed. If the menu item is not a web function, a Win32 function is displayed in block 2726.

In one embodiment, when a user logs on to their client software, the following primary navigation options invoke an HTML action: Welcome, Buy Supplies, On-line Support, Shipping Tools, and Business Tools. If a browser such as, the IE Component is installed, clicking on a primary navigation action launches the component. The client software displays the tab of the activated primary navigation action. If the IE Component is not installed, clicking on a primary navigation action launches the default browser. The client displays the tab of the activated primary navigation action. The client displays a bitmap watermark with a logo and the associated illustration centered within the content area.

In the background, the client software transmits extra information as part of the handshake process. This information includes name/value pairs as part of the process that is added to the

query string (standard CGI communication). A page is retrieved only at the first connection of the client to an on-line state, and resides in memory. The format of the page is standard HTML, except each URL is separated by a carriage return.

Each primary navigation action that generates a HTML action uses its own IE component to track state. Four IE components are potentially active for the application: Welcome, Buy Supplies, On-line Support, and Business Tools. If the user navigates within a primary navigation action (e.g., Buy Supplies), the client software uses the corresponding IE Component. If the user clicks on the same primary navigation action, the corresponding IE Component targets the home page of that primary navigation action. If the user changes from one primary navigation action to another, the client software switches to the corresponding components, e.g., from the Buy Supplies IE Component to On-line Support IE Component. The IE Component restores the state of the last time that IE Component was activated during the application session. If the user has never used the IE Component for that action during the session, the IE Component uses the primary home page for that action. No content within one primary navigation action targets the content in a separate primary navigation action.

In one embodiment, a complete HTML Window, using the IE Component replaces the Win32 secondary navigation with a long tab that contains on the left and the title of that page on the far right. If the user is on a secured page and the page is loading, a security lock and Loading Page appears. If the user is on a secured page and the page is not loading, a security lock only appears. This security lock appears on all functions of secure actions with Win32 and HTML. If the user is on an unsecured page and it is loading, only Loading Page appears. If the user is on an unsecured page and it is not loading, no status is shown.

Browser navigation includes the following buttons: back, forward, stop, refresh, print and launch default browser (full browser). Back button returns to the previous page. This button is disabled when there is no previous page to return to. Forward button goes to the next page, if cached. This button is disabled when there is no next page cached. Stop button ceases the page transfer from the server. Refresh button reloads the current HTML page. Print button activates a print dialog to print the current HTML page. This action only prints the content frame, or the HTML page in focus. Launch Default Browser button sends the current URL to the default browser and launches that browser in the foreground, with the client in the background. Tool tips are enabled so when the users hover over the navigation, they are identified.

In the default browser, the information used in the screen header are not transmitted to outside applications. The resulting HTML page in the default browser has navigation consistent with the external website. Secondary Web Navigation appears as such: active items are indicated by a blue arrow, inactive items are indicated by a red arrow. The content frame contains one resulting page. Download progress of an HTML page is also displayed. The progress text is

Loading Page (xx%), xx being the progress percentage. All pages using sensitive information are transmitted by SSL. There is an indication that the page is secured through SSL by a lock graphic within the lower status bar of the application. Preferably, the default browser does not target back to the client.

In one embodiment, the client software is capable of supporting outsourcing on-line stores to partners. All pages within this section are encrypted with SSL. This page is accessible from the left menu and is the primary page when a user clicks on the Buy Supplies left button. The site is preferably contained within one domain. The client software is auto-logged in to the store. During the registration process for an on-line store, user information are uploaded and made available in the on-line store. For example, if it is the user's first time entry into the store, the store creates an automatic login and password, and stores a cookie on the client's system. This cookie can be used in future sessions in both the IE component and with IE, if the user is using IE as their default browser. The name and password of the cookie are encrypted.

The How To's page is accessible from the left menu and is the primary page when a user clicks on the On-line Support left button. The content mostly is Customer Support and Feedback. Some actions target shipping functionality. Customer support is accessible from the secondary top menu after a user clicks on the On-line Support left button. Feedback is accessible from the secondary top menu after a user clicks on the On-line Support left button.

Shipping Tools is accessible from the left menu, the Shipping Tools home the default page. An exemplary Shipping Tools screen is depicted in FIG. 28. The content includes Quick Price, Price It, Track It and Help. Price it button compares detail prices between different shipping options, carriers and services. Track it, takes a tracking number(s) and provides location information. Ship it button pre-processes a package before the package is mailed. Other elements on the home page include promotional items about shipping. Any content that does not target Quick Price, Price It, Track It and Help launches the default browser.

FIG. 29 is an exemplary screen for Business Tools. Business Tools screen is accessible from the left menu. The content includes Time-Saving services in Personal Mailroom and Insurance, On-line Supply Ordering, and Package Pickup. In this embodiment, the client software has the ability to provide additional postal services to customers. In one embodiment, certified mail, delivery confirmation, insurance, registered mail, and return receipt are provided. When a service is selected, the client automatically calculates the amount due for the service or services, based on some business rules. For example, a business rule for Certified mail provides the sender with a mailing receipt. This service can be combined with return receipt and made available for purchase at an additional fee. Certified mail can only be used with First-Class Mail and Priority Mail items. A business rule for Delivery confirmation provides information about the date and time of delivery or attempted delivery. When using this service, mailers may

retrieve delivery status through the Internet or a toll-free number. Delivery confirmation can be used with Priority Mail and Parcel Post mailings, and may also be combined with insured mail or registered mail. A business rule for Insurance service provides coverage against loss or damage during the shipping or mailing of an item. Insured mail can be combined with delivery confirmation, and return receipt.

An exemplary business rule for Registered mail provides protection and security for valuables. This service is available only for items paid at Priority Mail and First-Class Mail rates, and may be combined with COD, restricted delivery, or return receipt. Postal insurance is provided for articles with a declared value up to a maximum of \$25,000. Only items with no declared value may use registry service without insurance. An exemplary business rule for Return Receipt service provides a mailer with evidence of delivery, and also supplies the recipient's actual delivery address if it is different from the address used by the sender. A return receipt may be requested before or after delivery. Return receipt is available only for use with Express Mail, and can be combined with certified mail, mail insured for more than \$50, or registered mail.

FIG. 30 depicts an exemplary Special Services Dialog. This dialog can be accessed from Print Postage. As shown, the introduction text reads "Select the Special Services that you would like for your mail piece. Please note, when using a Special Service you will need to fill out the appropriate USPS form. For more information, click on the Service's corresponding link." The group box includes the following check boxes. Certified Mail includes the text from USPS Form 3800. This text is highlighted and points to the relevant Help topic. Return Receipt has the text from USPS Form 3811. This text is highlighted and points to the relevant Help topic. Delivery Confirmation includes the text from USPS Form 152. This text is highlighted and points to the relevant Help topic. All Help topic show an image of the respective form. Registered Mail includes the following edit box titled Mail Value.

Under this checkbox the text USPS Label 200 is located. This text is highlighted and points to the relevant Help topic. Insurance includes the Mail Value edit box. Under this checkbox the text USPS Label 200 is located. This text is highlighted and points to the relevant Help topic, and the Help topic includes an image of the form. A Help button is located at the bottom of the Special Services Dialog.

When running this dialog, the client software checks the selected mail piece in the Print Postage dialog. If the mail class is First Class, the Delivery Confirmation checkbox and the Return Receipt checkbox are disabled. If the mail class is Priority Mail, the Return Receipt checkbox is disabled. If the mail class is Express, the Registered Mail checkbox, the Certified Mail checkbox, and the Delivery Confirmation checkbox are disabled. If the mail class is Parcel Post, the Registered Mail checkbox and the Certified Mail checkbox are disabled. When the user

selects Certified Mail, Return Receipt, or Delivery Confirmation, the respective checkbox is checked. When the user selects Registered Mail, or Insurance, the respective checkbox is checked and the cursor is pointed to the entry box.

If the user insures the item for \$50 or more, the client checks to see if the mail piece was parcel Post. If yes, the Return Receipt checkbox is enabled. If the user insures the item for less than \$50, the Delivery Confirmation checkbox and the Return Receipt checkbox are disabled. If the user clicks OK, the client checks to see which services are selected. If Certified Mail is selected, the appropriate amount is added to the total. If Return receipt Mail is selected, the appropriate amount is added to the total. If Delivery Confirmation is selected, the appropriate amount is added to the total. If Registered mail is selected, the client software calculates the cost of the special service based on the USPS rate table for Registered Mail.

If Insurance is selected, the client calculates the cost based on some rate tables, such as the USPS rate table for Insurance, and checks the dialog for valid Registered Mail. If the user enters a value outside of the acceptable range, an error message appears indicating: "The value of registered items must be between \$0 and \$25,000." The client checks the dialog for valid Insurance. If the user enters a value outside of the acceptable range, an error message appears indicating: "The value of the item you are insuring must be between \$0 and \$5,000." If all values are valid, the dialog is closed. The client then Passes the total amount for the services back to the Print Postage dialog and keeps the values in state until user has printed postage.

In one embodiment provided special services include Certificate of Mailing, Certified Mail, Collect on Delivery (COD), Delivery Confirmation, Insured Mail, Money Order, Return Receipt for Merchandise, Registered Mail, Restricted Delivery, and Return Receipt. Certificate of Mailing provides evidence of mailing (but not evidence of receipt). It is purchased at time of mailing. Certified Mail provides the sender with a mailing receipt. A record is kept at the post office of delivery. A return receipt can also be purchased for an additional fee. Collect on Delivery (COD) allows mailers to collect the price of goods and/or postage on merchandise ordered by addressee when it is delivered. COD service can be used for merchandise sent by First-Class Mail, Express Mail, Priority Mail, and Standard Mail (B). This service may be combined with registered mail. Delivery Confirmation provides information about the date and time of delivery or attempted delivery. Mailers may retrieve delivery status through the Internet or a toll-free number. This service is available for Priority Mail, Parcel Post, Bound Printed Matter, Special Standard Mail, and Library Mail.

Insured Mail provides coverage against loss or damage. Coverage up to \$5,000 for Standard Mail (B) as well as Standard Mail matter mailed at Priority Mail or First-Class Mail rates. For items insured for more than \$50, restricted delivery and return receipt service are also available. The amount of insurance coverage for loss is the actual value, less depreciation.



Money Order provides safe transmission of money. Return Receipt for Merchandise provides the sender with a mailing receipt and a return receipt. A delivery record is kept at the post office of address, but no record is kept at the office of mailing. Registered Mail provides maximum protection and security for valuables. This service is available only for items paid at Priority Mail and First-Class Mail rates and may be combined with COD, restricted delivery, or return receipt. Postal insurance is provided for articles with a declared value up to a maximum of \$25,000.

Restricted Delivery permits a mailer to direct delivery only to the addressee or addressee's authorized agent. The addressee must be an individual (or natural person) specified by name. This service is available for certified mail, COD, insured mail, or registered mail. Return Receipt provides a mailer with evidence of delivery. This service also supplies the recipient's actual delivery address if it is different from the address used by the sender. A return receipt may be requested before or after delivery. This service is available for Express Mail, certified mail, COD, mail insured for more than \$50, or registered mail.

In one embodiment, the present invention provides address override option by the AMS. That is, if the address entered or chosen from an address book by the user cannot be successfully validated, the USPS Address Matching Database returns a valid city, state, and ZIP information. Instead of rejecting the incorrect addresses, AMS provides the user with an option to override the incorrect address by concatenating the validated city, state, and ZIP information and the original street information. Also, AMS returns the override address in the address book format that can be easily stored in the respective address book.

FIGs. 31A-31G depict exemplary interfaces for address override. After a user logs on to the client system and clicks on "Print Postage" tab within Welcome screen, the exemplary interface of FIG. 31A is shown. The user then enters an address, for example, 123 Address Override St. Los Angeles, CA 90015. Suppose that this entered address only matches a real address with respect to the last line (city, state & zip code). The user then selects a mail class (e.g., First-Class Mail radio button) and clicks "Print Sample..." or "Print Postage...". As a result, the dialog box shown in FIG. 31B is shown providing to the user the options of accepting the overridden address ("Accept"), canceling out of the dialog ("Cancel"), or editing the result for another try at cleansing the address ("Edit"), as shown by the available buttons shown in the dialog box of FIG. 31B. The "Edit" button takes the user back to the interface screen of FIG. 31A. An option of saving the address changes to the address book is also provided in interface of FIG. 31B.

For the case that the user is utilizing an address book, the exemplary interfaces are shown in FIGs. 31C-31G. After a user logs on to the client system and clicks on "Addresses" tab, the exemplary interface of FIG. 31C is shown. The user then selects an address book from the "Select Address Book:" drop-down list box, clicks on "New Contact..." and enters the address

information. Similar to the previous example, only the city, state & zip code match. The user then clicks on "Verify" to get the "Address Override" dialog box, as shown in FIG. 31E. Again, in the resulting "Address Override" dialog box the user can accept the overridden address, cancel out of the dialog, or edit the result for another try at cleansing the address.

In one embodiment, the present invention is capable of supporting multiple address (contact) verifications, as depicted in FIGs. 31F-31G. From "Print Postage," the user clicks on "Address Book" icon. The user then selects multiple contacts from an address book with at least one address being an address override example and clicks "OK", as shown in FIG. 31F. As a result, the "Address Override" dialog box of FIG. 31G is shown for the contact(s) that do not match the AMS database but do match the last line address (as in the examples above). An option of saving the address changes to the address book is also provided in interface of FIG. 31G.

It will be recognized by those skilled in the art that various modifications may be made to the illustrated and other embodiments of the invention described above, without departing from the broad inventive scope thereof. It will be understood therefore that the invention is not limited to the particular embodiments or arrangements disclosed, but is rather intended to cover any changes, adaptations or modifications which are within the scope and spirit of the invention as defined by the appended claims.

## WHAT IS CLAIMED IS:

1. A web-enabled system for printing a value bearing item (VBI) comprising:  
a web-enabled client subsystem for interfacing with a user comprising:  
a graphical user interface (GUI) for installing software for printing the VBI;  
a GUI for registering the user in the system; and  
a GUI for managing the printing of the VBI; and  
a server subsystem capable of communicating with the client subsystem over the Internet for authorizing the client subsystem to print the VBI.
2. The system of claim 1, wherein the VBI bears postage value.
3. The system of claim 2, wherein the GUI for managing the printing comprises of a GUI for providing a plurality of services.
4. The system of claim 3, wherein the plurality of services includes one or more of certified mail, delivery confirmation, insurance, registered mail, and return receipt.
5. The system of claim 4, further comprising means in the client subsystem for calculating an amount due for a selected service based on one or more business rules.
6. The system of claim 1, wherein the VBI is one or more of a ticket, a coupon, a currency, a voucher, a money order, and a check.
7. The system of claim 1, wherein the client subsystem further comprises a GUI for displaying the user information including an account information, and making changes to the user's information.
8. The system of claim 1, wherein the client subsystem further comprises a GUI for specifying an address book from a plurality of address books so that the system can use the address book to print addresses.
9. The system of claim 1, wherein the server subsystem includes an address matching module for verifying an address entered by the user.
10. The system of claim 9, wherein the address matching module includes a user option for overriding an incorrect address.

11. The system of claim 1, wherein the GUI for registering the user comprises of a GUI for entering user information.
12. The system of claim 11, wherein the user information is uploaded to a web-based application.
13. The system of claim 12, wherein the web-based application includes on-line shopping.
14. The system of claim 1, further comprising a browser-based GUI for on-line shopping.
15. The system of claim 1, wherein the GUI for managing the printing comprises of a GUI for displaying a graphical image of the VBI.
16. The system of claim 1, wherein the GUI for managing the printing comprises of a first GUI for printing a quality assurance VBI.
17. The system of claim 16, further comprising a second GUI for displaying selectable choices of a printed quality assurance VBI.
18. The system of claim 16, wherein the client subsystem prevents printing of the VBI if the quality assurance VBI is not printed.
19. The system of claim 1, wherein the GUI for managing the printing comprises of a GUI for troubleshooting selected printing options.
20. The system of claim 1, wherein the GUI for managing the printing comprises of a GUI for providing envelope options.
21. The system of claim 1, wherein the GUI for managing the printing comprises of a GUI for providing label options.
22. The system of claim 1, wherein the GUI for managing the printing comprises of a GUI for providing postage options.

23. An interactive web-enabled postage printing system comprising:
- a web-enabled installation wizard including a graphical user interface (GUI) for downloading and installing software for postage printing from a server connected to a computer network;
  - a web-enabled registration wizard including a GUI for facilitating the registration of a user with the system; and
  - a web-enabled printing wizard including a GUI for facilitating printing of a postage indicium.
24. The system of claim 23, wherein the registration wizard includes a GUI for specifying a payment method.
25. The system of claim 23, wherein the registration wizard includes a GUI for entering and displaying information about the user.
26. The system of claim 25, wherein the user information is uploaded to a web-based application.
27. The system of claim 26, wherein the web-based application includes on-line shopping.
28. The system of claim 23, further comprising a browser-based GUI for on-line shopping.
29. The system of claim 23, wherein the installation wizard includes a GUI for specifying an address book so that the system can use the address book to print addresses.
30. The system of claim 23, wherein the server includes an address matching database for verifying an address entered by the user.
31. The system of claim 30, further comprising a user option for overriding an incorrect address.
32. The system of claim 23, wherein the registration wizard includes a GUI for offering the user a plurality of services and selecting by the user a service of choice.

33. The system of claim 32, wherein the plurality of services includes one or more of certified mail, delivery confirmation, insurance, registered mail, and return receipt.

34. The system of claim 33, further comprising means for calculating an amount due for the selected service based on one or more business rules.

35. The system of claim 23, wherein the printing wizard includes a GUI for displaying a graphical image of a sample postage on an envelope.

36. The system of claim 23, wherein the printing wizard includes a first GUI for printing a quality assurance VBI.

37. The system of claim 36, further comprising means for preventing printing the VBI if the quality assurance VBI is not printed.

38. The system of claim 36, further comprising a second GUI for displaying selection choices of the shape of a printed quality assurance postage sample.

39. The system of claim 23, wherein the printing wizard includes a GUI for troubleshooting selected printing options.

40. The system of claim 23, wherein the printing wizard includes a GUI for providing envelope options.

41. The system of claim 23, wherein the printing wizard includes a GUI for providing label options.

42. The system of claim 23, wherein the printing wizard includes a GUI for providing postage options.

43. A method for printing a value bearing item (VBI) over the Internet including a web-enabled client system and a server system, the method comprising the steps of:  
displaying a first GUI by the client system for registering a user;  
establishing communication with the server via the Internet;  
entering user information in the client system; and  
communicating the entered user information to the server.

44. The method of claim 43 further comprising the steps of:  
displaying a second GUI by the client system including printing options for managing the printing of the VBI;  
selecting one or more printing options from the second GUI; and  
printing the VBI according to the selected one or more printing options.

45. The method of claim 44, wherein the step of printing the VBI comprises printing a postage value.

46. The method of claim 44, wherein the step of printing the VBI comprises printing one or more of a ticket, a coupon, a currency, a voucher, a money order, and a check.

47. The method of claim 43, further comprising displaying a third GUI for installing software for printing the VBI.

48. The method of claim 43, wherein the step of displaying a first GUI comprises displaying a GUI for entering user's information.

49. The method of claim 48, wherein the user information is uploaded to a web-based application.

50. The method of claim 49, wherein the web-based application includes on-line shopping.

51. The method of claim 43, further comprising displaying a browser-based GUI for on-line shopping.

52. The method of claim 43, wherein the step of displaying a first GUI comprises displaying a GUI for displaying user information including an account information.

53. The method of claim 52, wherein the account information includes an account balance.

54. The method of claim 43, further comprising the step of verifying an address by the server system entered by the user.

55. The method of claim 43, wherein the step of verifying an address comprises overriding an incorrect address.

56. The method of claim 43, wherein the step of displaying a first GUI comprises displaying a GUI for offering the user a plurality of services.

57. The method of claim 43, wherein the plurality of services includes one or more of certified mail, delivery confirmation, insurance, registered mail, and return receipt.

58. The method of claim 57 further comprising the step of calculating an amount due for a selected service based on one or more business rules.

59. The method of claim 43, wherein the step of displaying a first GUI comprises displaying a GUI for canceling a registration process.

60. The method of claim 44, wherein the step of displaying a second GUI comprises displaying a GUI for displaying a graphical image of the VBI.

61. The method of claim 44, wherein the step of displaying a second GUI comprises displaying a QA GUI for printing a quality assurance VBI.

62. The method of claim 61, further comprising the step of preventing printing the VBI if the quality assurance VBI is not printed.

63. The method of claim 44, further comprising displaying a third GUI for displaying selectable choices of the shape of a printed sample VBI.

64. The method of claim 44, wherein the step of displaying a second GUI comprises displaying a GUI for providing envelope options.

65. The method of claim 44, wherein the step of displaying a second GUI comprises displaying a GUI for providing label options.

66. The method of claim 44, wherein the step of displaying a second GUI comprises displaying a GUI for providing postage options.



67. The method of claim 43, further comprising the step of displaying a second GUI for the user to withdraw the user's account.

68. The method of claim 44, wherein the step of selecting one or more printing options comprises the steps of:

- prompting the user to place an envelope in a printer;

- displaying a plurality of patterns, wherein only one of the plurality of patterns completely prints onto the envelope fed through the printer;

- selecting one of the plurality of displayed patterns based upon which pattern appears to the user; and

- ascertaining if the printer feeds envelopes from the top, center, or bottom based on the selected pattern.

FIG. 1






FIG. 2




3/74

FIG. 3



4/74



5/74

FIG. 5A

INSTALL WIZARD

**stamps.com**

SELECT ANY APPLICATION THAT YOU WOULD LIKE TO BE ABLE TO LAUNCH STAMPS.COM INTERNET POSTAGE FROM. YOU MUST HAVE THE APPLICATION INSTALLED ON YOUR COMPUTER.

- ☐ MICROSOFT WORD
- ☐ SYMANTEC ACT!
- ☐ WORD PERFECT

<BACK    NEXT>    CANCEL

FIG. 5B

INSTALL WIZARD

**stamps.com**

SELECT ANY APPLICATION THAT YOU WOULD LIKE TO BE ABLE TO LAUNCH STAMPS.COM INTERNET POSTAGE FROM. YOU MUST HAVE THE APPLICATION INSTALLED ON YOUR COMPUTER.

- ☐ DAY-TIMER ORGANIZER 98
- ☐ EUDORA PRO 3.4
- ☐ GOLD MINE 3.0/4.0
- ☐ LOTUS NOTES 4.5
- ☐ LOTUS ORGANIZER 5.0 97/GS
- ☐ MICROSOFT OUTLOOK EXPRESS
- ☐ MICROSOFT OUTLOOK 97/98
- ☐ MICROSOFT WINDOWS ADDRESS BOOK
- ☐ SCHEDULE+7.0,7.0A
- ☐ SYMANTEC ACT! 3.05 AND ABOVE

DEFAULT

<BACK    NEXT>    CANCEL

6/74

FIG. 6A

INTERNET OPTIONS

STAMPS.COM REQUIRES THAT YOU ARE CONNECTED TO THE INTERNET IN ORDER TO USE ITS POSTAGE SERVICES: HOW DO YOU CONNECT TO THE INTERNET?

☐ USING A LOCAL AREA NETWORK

☐ I CONNECT TO MY ISP WITH MY MODEM, AND DIAL UP NETWORKING


CLICK HERE TO CONFIRM SETTINGS

☐ I CONNECT USING AOL




☐ I CONNECT USING COMPUSERVE

FIG. 6B

INTERNET OPTIONS

 IMPORTANT:

EVERY TIME BEFORE YOU LOG IN TO THE STAMPS.COM SERVICE, YOU MUST FIRST CONNECT TO THE INTERNET USING YOUR STANDARD INTERNET SOFTWARE.

*FIG. 6C**FIG. 6D**FIG. 6E*



8/74

FIG. 7A




FIG. 7B






FIG. 7D



9/74

FIG. 7C



10/74

**FIG. 8A**  
WELCOME #1 INTRO. 1




REGISTRATION WIZARD

**stamps.com**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

WELCOME TO STAMPS.COM INTERNET POSTAGE! IN JUST A FEW MINUTES, PURCHASING, MANAGING, AND USING POSTAGE WILL BE EASIER, MORE FLEXIBLE, AND MORE POWERFUL THAN YOU EVER IMAGINED!

THIS WIZARD WILL WALK YOU THROUGH THREE SIMPLE STEPS REQUIRED BEFORE YOU CAN BEGIN PRINTING POSTAGE FROM YOUR PRINTER.

 1) SIGN UP FOR AN INTERNET POSTAGE SERVICE PLAN FROM STAMPS.COM.  
 2) APPLY FOR A METER LICENSE FROM THE UNITED STATES POSTAL SERVICE(USPS)  
 3) SETUP AND TEST YOUR PRINTER.

☐ I HAVE ALREADY REGISTERED WITH STAMPS.COM

**FIG. 8B**  
WELCOME #2 SORRY, MUST WAIT

REGISTRATION WIZARD

**stamps.com**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

SORRY, WE ARE CURRENTLY RESTRICTED FROM ALLOWING MORE CUSTOMERS TO USE OUR SERVICES BY THE THE USPS.




PLEASE CLICK ON THE BUTTON BELOW TO VISIT OUT WEB SITE, WHERE YOU CAN SIGN UP TO BE NOTIFIED VIA EMAIL WHEN WE WILL BE ABLE TO OFFER OUR SERVICE TO YOU.

11/74

**FIG. 9A**

## SERVICE #1 PERSONAL INFO

REGISTRATION WIZARD

 **SERVICE SIGN UP**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

FIRST, YOU WILL NEED TO REGISTER WITH STAMPS.COM AND SIGN UP FOR AN INTERNET POSTAGE SERVICE PLAN.

PLEASE FILL IN THE PERSONAL INFORMATION ON THE FOLLOWING PAGES FOR USE IN THIS REGISTRATION PROCESS.

FIRST NAME:  MIDDLE INITIAL:   
LAST NAME:   
PHONE:  FAX:   
EMAIL:




STAMPS.COM WILL SEND ALL INVOICES VIA EMAIL, SO PLEASE BE SURE THIS EMAIL ACCOUNT IS ONE YOU CHECK OFTEN.

☐ SEND ME INFORMATION ABOUT STAMPS.COM AND ITS PARTNERS.

**FIG. 9B**

## SERVICE #1 ADDRESSES

REGISTRATION WIZARD

 **SERVICE SIGN UP**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY TO A POSTAL MENU  
4. TEST PRINTER  
5. FINISH

PLEASE ENTER THE PHYSICAL ADDRESS WHERE THIS COMPUTER IS LOCATED

ADDRESS:   
CITY:   
STATE:  ZIP:

PLEASE PROVIDE YOUR MAILING ADDRESS.

☐ USE PHYSICAL ADDRESS

ADDRESS:   
CITY:   
STATE:  ZIP:

12/74

**FIG. 9C**

SERVICE #2a SORRY, BAD ZIP

REGISTRATION WIZARD

**stamps.com**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

SORRY, INTERNET POSTAGE IS NOT YET AVAILABLE IN YOUR ZIP CODE.

PLEASE CLICK ON THE BUTTON BELOW TO VISIT OUR WEB SITE, WHERE YOU CAN SIGN UP TO BE NOTIFIED VIA EMAIL WHEN WE WILL BE ABLE TO OFFER OUR SERVICE TO YOU.

**SIGN UP ON THE WEB**


**<BACK** **FINISH** **CANCEL**

**FIG. 9D**

SERVICE #3 USER NAME/ PASS

REGISTRATION WIZARD

**stamps.com**

**stamps.com**  **SERVICE SIGN UP**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

EVERY TIME THAT YOU LOG INTO THE STAMPS.COM SERVICE, YOU WILL NEED TO PROVIDE A UNIQUE USER NAME AND PASSWORD IN ORDER TO PROTECT YOUR ACCOUNT. ENTER A USER NAME.

USER NAME

PLEASE SELECT A PASSWORD. YOUR PASSWORD MUST BE AT LEAST 6 CHARACTERS IN LENGTH, AND CONTAIN AT LEAST ONE LETTER AND ONE NUMBER.

PASSWORD

RETYPE PASSWORD




**<BACK** **NEXT>** **CANCEL**

13 /74

**FIG.9E**

SERVICE #4 ENTER KEY WORD

REGISTRATION WIZARD




**SERVICE SIGN UP**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

PLEASE SELECT ONE OF THE QUESTIONS BELOW THAT ONLY YOU WOULD KNOW THE ANSWER TO, AND THEN ENTER AN ANSWER IN THE FORM OF EITHER A WORD OR PHRASE.

THIS SECRET CODE WILL BE USED TO RETRIEVE YOUR PASSWORD IF YOU EVER LOSE IT.

SELECT A QUESTION:




ENTER YOUR SECRET CODE RESPONSE:

<BACK> NEXT> CANCEL

**FIG.9F**

SERVICE #5 USER CAT/COMP. INFO

REGISTRATION WIZARD




**SERVICE SIGN UP**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

IN ORDER TO HELP STAMPS.COM BETTER SERVICE YOUR UNIQUE POSTAGE NEEDS, PLEASE SUPPLY US WITH THE FOLLOWING INFORMATION.

SELECT WHICH CATEGORY BEST DESCRIBES HOW YOU WILL USE THIS SERVICE.

☒ PERSONAL / INDIVIDUAL USE  
☐ HOME OFFICE(CORPORATE WORK, TELECOMMUTING)  
☐ HOME-BASED BUSINESS  
☐ OFFICE-BASED BUSINESS

ENTER YOUR COMPANY INFORMATION BELOW.

COMPANY NAME:

# OF EMPLOYEES:

INDUSTRY SIC CODE:

<BACK> NEXT> CANCEL

14 / 74

*FIG. 9G*

SERVICE #6 MONTHLY USAGE






REGISTRATION WIZARD	
<b>stamps</b> .com	<b>stamps</b> .com  <b>SERVICE SIGN UP</b>
1. START	ON AVERAGE, HOW MUCH DO YOU SPEND ON POSTAGE EACH MONTH? (POSTAGE INCLUDES USPS CLASSES OF MAIL—FIRST CLASS, PRIORITY, AND EXPRESS BUT DOES NOT INCLUDE NON-USPS OVERNIGHT / PACKAGE DELIVERY SERVICES SUCH AS FEDEX OR UPS)
2. REGISTER WITH STAMPS.COM	\$ <input type="text"/>
3. APPLY FOR A POSTAL METER	DO YOU CURRENTLY LEASE OR RENT A TRADITIONAL POSTAGE METER? <input type="radio"/> YES <input type="radio"/> NO
4. TEST PRINTER	<input type="text" value="100"/>  % LETTERS (STANDARD ENVELOPES)
5. FINISH	<input type="text" value="0"/>  % LETTERS (WINDOW / PREPRINTED ENVELOPES)
	<input type="text" value="0"/>  % FLATS (MAGAZINES, UNFOLDED LETTERS)
	<input type="text" value="0"/>  % PARCELS (BOXES)
<div><input data-bbox="459 676 534 705" type="button" value=" &lt;BACK "/><input data-bbox="566 676 643 705" type="button" value=" NEXT &gt; "/><input data-bbox="675 676 750 705" type="button" value=" CANCEL "/></div>	

FIG. 9H

SERVICE #7 SELECT PLAN

REGISTRATION WIZARD

stamps.com

1.START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

stamps.com

SERVICE SIGN UP

STAMPS.COM OFFERS A VARIETY OF INTERNET POSTAGE SERVICE PLANS FROM WHICH YOU CAN CHOOSE. EACH PLAN OFFERS DIFFERENT BENEFITS, AND EACH HAS A DIFFERENT CONVENIENCE FEE STRUCTURE.

SELECT A SERVICE PLAN

SERVICE PLAN DESCRIPTIONS:

MORE INFO...

<BACK

NEXT>

CANCEL


15/74

*FIG. 9I*

SERVICE #8 SRV PLAN AGREEMENT


REGISTRATION WIZARD

**stamps.com**

**stamps.com**  SERVICE SIGN UP

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH


PLEASE READ THE SERVICE PLAN CONTRACT BELOW AND INDICATE WHETHER OR NOT YOU ACCEPT ITS TERMS.



☐ I ACCEPT ☐ I DO NOT ACCEPT

*FIG. 9J*

CANCEL



YOU CANNOT COMPLETE THE REGISTRATION PROCESS UNLESS YOU AGREE TO THE TERMS OF THE SERVICE PLAN CONTRACT. WOULD YOU LIKE TO GO BACK AND REVIEW THE CONTRACT AGAIN OR CANCEL THE CHANGE OF SERVICE PLANS ?




16/74

FIG. 9K

SERVICE #9 PAYMENT INFO NOTHING SELECTED MODE

REGISTRATION WIZARD

**stamps.com**

**stamps.com**  SERVICE SIGN UP

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:


1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

FIG. 9L

SERVICE #9a PAYMENT INFO CREDIT CARD SELECTED MODE

REGISTRATION WIZARD

**stamps.com**

**stamps.com**  SERVICE SIGN UP

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

CARDHOLDER NAME:

CARD#:

EXP. DATE: MONTH:  YEAR:

PLEASE PROVIDE YOUR BILLING ADDRESS FOR THIS ACCOUNT.

☐ USE MAILING ADDRESS

ADDRESS:

CITY:

STATE:  ZIP:




1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

17/74

FIG. 9M

SERVICE #9b PAYMENT INFO NOTHING SELECTED MODE

REGISTRATION WIZARD




[SERVICE SIGN UP](#)

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

NAME ON ACCT.:

ABA ROUTING#:

ACCOUNT#:

BANK NAME:

ACCOUNT TYPE: ☐ CHECKING  
☐ SAVINGS




1. START  
 2. REGISTER WITH STAMPS.COM  
 3. APPLY FOR A POSTAL METER  
 4. TEST PRINTER  
 5. FINISH

<BACK    NEXT>    CANCEL

FIG. 9N

SERVICE #10 PURCHASE POSTAGE

REGISTRATION WIZARD




[SERVICE SIGN UP](#)

BEFORE YOU CAN BEGIN PRINTING POSTAGE, YOU NEED TO HAVE A BALANCE OF POSTAGE IN YOUR ACCOUNT.

HOW MUCH POSTAGE WOULD YOU LIKE TO PURCHASE AT THIS TIME?


☐ \$ 10  
☐ \$ 25  
☐ \$ 50  
☐ \$ 100  
☐ \$ 200  
☐ OTHER

1. START  
 2. REGISTER WITH STAMPS.COM  
 3. APPLY FOR A POSTAL METER  
 4. TEST PRINTER  
 5. FINISH

<BACK    NEXT>    CANCEL

18/74

FIG. 10A






19/74

**FIG. 10B**

LICENSE #1 VERIFICATION AND WELCOME ML

REGISTRATION WIZARD

**UNITED STATES  
POSTAL SERVICE****METER  
LICENSE  
APPLICATION**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

IN THE NEXT STEP, THIS WIZARD WILL ASSIST YOU IN SUBMITTING A METER LICENSE APPLICATION WITH THE USPS.




THIS PROCESS GENERATES AN OFFICIAL USPS METER LICENSE APPLICATION FORM AND MUST THEREFORE BE RESPONDED TO WITH COMPLETE ACCURACY.

<BACK      NEXT>      CANCEL

**FIG. 10C**

LICENSE #2 LICENSE ID

REGISTRATION WIZARD

**UNITED STATES  
POSTAL SERVICE****METER  
LICENSE  
APPLICATION**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

ENTER A BUSINESS IDENTIFICATION NUMBER FOR YOUR COMPANY.  
FIRST, SELECT A TYPE OF BUSINESS IDENTIFICATION NUMBER,  
AND THEN ENTER THAT NUMBER FOR YOUR COMPANY.

☒ TAX ID #

☐ EIN

☐ SOCIAL SECURITY #




<BACK      NEXT>      CANCEL

20/74

**FIG. 10D**

LICENSE #3 BUS. QUESTIONS 2

REGISTRATION WIZARD



**UNITED STATES  
POSTAL SERVICE**

**METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

DOES YOUR BUSINESS ANTICIPATE METERED MAIL AT DISCOUNT RATES?

☐ YES ☒ NO

DOES YOUR BUSINESS HAVE AN AUTHORIZATION TO USE PERMIT IMPRINTS AT THIS OR ANY OTHER POST OFFICE ?

☐ YES ☒ NO

DOES YOUR BUSINESS PREPARE AND/OR MAIL FOR OTHER (THIRD) PARTIES.




☐ YES ☒ NO

<BACK NEXT> CANCEL

**FIG. 10E**

LICENSE #3a AUTHORITY FOR CHECK WRITING

REGISTRATION WIZARD



**UNITED STATES  
POSTAL SERVICE**

**METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

ARE YOU A CORPORATE OFFICER OR A PERSON WHO HAS EXPRESS AUTHORITY WITHIN YOUR CORPORATION/BUSINESS TO SIGN CHECKS ?

☒ YES ☐ NO

PLEASE ENTER THE FOLLOWING INFORMATION ABOUT A PERSON WITH SUCH AUTHORITY.

FIRST NAME:  MIDDLE INITIAL:

LAST NAME:

TITLE:

PHONE:

<BACK NEXT> CANCEL


21/74


**FIG. 10F**

LICENSE #4 SOCIAL SECURITY #

REGISTRATION WIZARD

**stamps.com**

 **UNITED STATES  
POSTAL SERVICE**

 **METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

THE USPS REQUIRES THAT YOU PROVIDE YOUR SOCIAL SECURITY NUMBER IN ORDER TO PROCESS YOUR METER LICENSE REQUEST.


SOCIAL SECURITY NUMBER:


**FIG. 10G**

LICENSE #5 OTHER LICENSE ?

REGISTRATION WIZARD

**stamps.com**

 **UNITED STATES  
POSTAL SERVICE**

 **METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

DO YOU CURRENTLY HOLD ANY OTHER USPS METER LICENSE AT THIS OR ANY OTHER POST OFFICE ?

☐ YES ☒ NO

PLEASE ENTER THE OTHER POSTAGE METER LICENSES YOU HOLD.

	LICENSE NUMBER	LICENSE NUMBER
1.	<input type="text"/>	<input type="text"/>
2.	<input type="text"/>	<input type="text"/>

22 /74

**FIG. 10H**

LICENSE #6 EVER REVOKED ?

REGISTRATION WIZARD

**stamps.com**

UNITED STATES POSTAL SERVICE

METER LICENSE APPLICATION

1. START

2. REGISTER WITH STAMPS.COM

3. APPLY FOR A POSTAL METER

4. TEST PRINTER

5. FINISH

HAVE YOU EVER HAD A POSTAGE METER LICENSE REVOKED ?

☐ YES ☒ NO

PLEASE PROVIDE SPECIFIC DETAILS. AT A MINIMUM PROVIDE THE POSTAGE METER LICENSE NUMBER, DATE OF REVOCATION, AND NAME OF THE LICENSING POST OFFICE.

**FIG. 10I**

LICENSE #7 SUBMIT

REGISTRATION WIZARD

**stamps.com**

UNITED STATES POSTAL SERVICE

METER LICENSE APPLICATION

1. START

2. REGISTER WITH STAMPS.COM

3. APPLY FOR A POSTAL METER

4. TEST PRINTER

5. FINISH

BEFORE SUBMITTING YOUR METER LICENSE APPLICATION, PLEASE REVIEW THE ANSWERS YOU PROVIDED FOR ACCURACY: THE USPS REQUIRES THAT ALL INFORMATION SUBMITTED IS ACCURATE.

IF ANY INFORMATION IS INCORRECT, SELECT THE "BACK" BUTTON TO RETURN TO THE APPROPRIATE SCREEN AND CHANGE THE INFORMATION.

APPLICANT'S NAME: MARK A. STIER

PHYSICAL ADDRESS:  
28341 LA BAJADA  
LAGUNA NIGUEL, CA. 92677-7057

MAILING ADDRESS:  
28341 LA BAJADA  
LAGUNA NIGUEL, CA. 92677-7057

☐ I VERIFY THAT THE INFORMATION SHOWN IS TRUTHFUL AND ACCURATE.

23 /74


*FIG. 10J*


LICENSE #8 SUBMITTING INFORMATION

REGISTRATION WIZARD




**stamps.com**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

 UNITED STATES POSTAL SERVICE

 METER LICENSE APPLICATION

PLEASE WAIT WHILE WE SUBMIT YOUR REGISTRATION AND METER LICENSE APPLICATION.

SELECT NEXT TO CONTINUE.

NEXT> CANCEL


*FIG. 10K*


ERROR DISPLAY

REGISTRATION WIZARD

**stamps.com**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

 UNITED STATES POSTAL SERVICE

 METER LICENSE APPLICATION

STAMPS.COM HAS ENCOUNTERED PROBLEMS IN PROCESSING THE INFORMATION THAT YOU HAVE SUPPLIED. THE FOLLOWING ERROR WAS ENCOUNTERED.

DYNAMICALLY DISPLAY THE ERROR RETURNED BY THE SERVER.

SELECT NEXT TO CORRECT THIS ERROR.

<BACK NEXT> CANCEL






24/74

**FIG. 10L**

ERROR DIALOG USER NAME

REGISTRATION WIZARD

 **SERVICE SIGN UP**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH




THE USER NAME THAT YOU ENTERED IS NOT AVAILABLE SINCE IT IS ALREADY BEING USED BY ANOTHER STAMPS.COM CUSTOMER. PLEASE ENTER ANOTHER USER NAME, OR SELECT THE "SUGGEST" BUTTON AND STAMPS.COM WILL PROVIDE YOU WITH A UNIQUE USER NAME.

USER NAME:

**FIG. 10M**

ERROR DIALOG BAD ACH

REGISTRATION WIZARD

 **SERVICE SIGN UP**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

NAME ON ACCT.:

ABA ROUTING#:

ACCOUNT#:

BANK NAME:




ACCOUNT TYPE: ☐ CHECKING  
☐ SAVINGS

25 /74

**FIG. 10N**

ERROR DIALOG CREDIT CARD REJECTED

REGISTRATION WIZARD




**SERVICE SIGN UP**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

CARDHOLDER NAME:

CARD#:

EXP. DATE: MONTH:  YEAR:

PLEASE PROVIDE YOUR BILLING ADDRESS FOR THIS ACCOUNT.

☐ USE MAILING ADDRESS

ADDRESS:

CITY:




STATE:  ZIP:

<BACK    NEXT>    CANCEL

**FIG. 100**

SERVICE #9 VERIFICATION AND WELCOME PT

REGISTRATION WIZARD



**UNITED STATES POSTAL SERVICE**

**METER LICENSE APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

YOUR METER LICENSE APPLICATION HAS BEEN SUCCESSFULLY SUBMITTED.

THE LICENSE SHOULD BE PROCESSED IN APPROXIMATELY XXXXXX HOURS. AT THIS TIME, YOU WILL BE ABLE TO USE ALL OF THE FUNCTIONALITY AVAILABLE FROM STAMPS.COM.

THE NEXT STEP IS TEST YOUR PRINTER AND DETERMINE WHETHER OR NOT YOUR PRINTER CAN PRINT POSTAGE THAT MEETS USPS REQUIREMENTS. SELECT "NEXT" AND THE WIZARD WILL ASSIST YOU IN THIS PROCESS.

NEXT>    CANCEL

FIG. 11A








FIG. 11B



28 /74




*FIG. 11C*

## PRINTER #1 SELECT DEFAULT PRINTER

STAMPS.COM INTERNET POSTAGE REGISTRATION	
	 
<ul style="list-style-type: none"><li>1. START</li><li>2. REGISTER WITH STAMPS.COM</li><li>3. APPLY FOR A POSTAL METER</li><li>4. TEST PRINTER</li><li>5. FINISH</li></ul>	<p>PLEASE SELECT A DEFAULT PRINTER TO BE USED FOR PRINTING POSTAGE.</p> <p>DEFAULT PRINTER: <input type="text"/></p> <p>IN ORDER TO ENSURE THAT THE SELECTED PRINTER IS ABLE TO PRINT IN ACCORDANCE WITH USPS REQUIREMENTS, WE WILL NEED TO PRINT ONE OR MORE SAMPLE PIECES OF POSTAGE AS WELL AS A REAL PIECE OF POSTAGE.</p> <p>SELECT "NEXT" TO CONTINUE.</p>
<div style="text-align: center;"><input data-bbox="688 1041 842 1077" type="button" value=" &lt;BACK "/><input data-bbox="883 1041 1037 1077" type="button" value=" NEXT&gt; "/><input data-bbox="1135 1041 1289 1077" type="button" value=" CANCEL "/></div>	

*FIG. 11D*


## PRINTER #2 PRINT ONTO


STAMPS.COM INTERNET POSTAGE REGISTRATION	
	 
<ul style="list-style-type: none"><li>1. START</li><li>2. REGISTER WITH STAMPS.COM</li><li>3. APPLY FOR A POSTAL METER</li><li>4. TEST PRINTER</li><li>5. FINISH</li></ul>	<p>SELECT THE SIZE OF THE ENVELOPES THAT THE POSTAGE WILL BE PRINTED ONTO.</p> <p>PRINT ONTO: <input type="text"/></p> <p>WOULD YOU LIKE THE RETURN ADDRESS TO BE PRINTED ON THESE ENVELOPES? (SELECT NO IF YOU ARE USING ENVELOPES WITH A PREPRINTED RETURN ADDRESS)</p> <p><input checked="" type="radio"/> YES <input type="radio"/> NO</p>
<div style="text-align: center;"><input data-bbox="693 1871 847 1906" type="button" value=" &lt;BACK "/><input data-bbox="891 1871 1045 1906" type="button" value=" NEXT&gt; "/><input data-bbox="1143 1871 1297 1906" type="button" value=" CANCEL "/></div>	


29/74

**FIG. 11E****PRINTER #3 INSERT ENVELOPE**

STAMPS.COM INTERNET POSTAGE REGISTRATION





**UNITED STATES  
POSTAL SERVICE**


**METER  
LICENSE  
APPLICATION**

1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH


MAKE SURE THAT AN ENVELOPE IS PLACED IN YOUR PRINTER FEEDER, AND SELECT "NEXT" TO PRINT A SAMPLE PIECE OF POSTAGE ONTO THE ENVELOPE.





◀ BACK
NEXT >
CANCEL

**FIG. 11F****PRINTER #4 COMPARE SAMPLE**

REGISTRATION WIZARD






**UNITED STATES  
POSTAL SERVICE**



**METER  
LICENSE  
APPLICATION**


1. START
2. REGISTER WITH STAMPS.COM
3. APPLY FOR A POSTAL METER
4. TEST PRINTER
5. FINISH

PLEASE COMPARE THE SAMPLE PIECE OF POSTAGE TO THE ENVELOPE SHOWN IN THE GRAPHIC BELOW. DID YOUR SAMPLE CORRECTLY PRINT ITEMS 1 THROUGH 5 SHOWN BELOW?

**STAMPS.COM**  
 2900 31ST. ST. STE.150  
 SANTA MONICA, CA.90405-3035



**\$0.004**  
JUNE 15, 1999  
VOID  
FIRST-CLASS MAIL

**INSERT EXISTING G**

**VOID**


**STAMPS.COM**  
 2900 31ST. ST. STE.150  
 SANTA MONICA, CA.90405-3035





☐ YES    ☐ NO

◀ BACK
NEXT >
CANCEL

30 /74





**FIG. 11G**

PRINTER #5 PRINT QA ENV.

REGISTRATION WIZARD	
 <ol style="list-style-type: none"> <li>1. START</li> <li>2. REGISTER WITH STAMPS.COM</li> <li>3. APPLY FOR A POSTAL METER</li> <li>4. TEST PRINTER</li> <li>5. FINISH</li> </ol>	<div style="display: flex; justify-content: space-between; align-items: center;">  <div> <b>UNITED STATES POSTAL SERVICE</b> </div>  </div> <p>NEXT, THE WIZARD WILL PRINT AN ACTUAL PIECE OF POSTAGE.</p> <p>THE USPS REQUIRES THAT YOU MAIL IN THIS ACTUAL PIECE POSTAGE SO THAT THE USPS CAN CONFIRM THAT YOUR PRINTER PRINTS POSTAGE THAT MEETS THEIR SPECIFICATIONS. THIS IS REFERRED TO AS A "QUALITY ASSURANCE" ENVELOPE.</p> <p>MAKE SURE THAT AN ENVELOPE IS PLACED IN YOUR PRINTER'S FEED TRAY, THEN SELECT "NEXT" TO PRINT A QUALITY ASSURANCE ENVELOPE.</p>  <p>NOTE: SINCE THE QUALITY ASSURANCE ENVELOPE MUST INCLUDE VALID POSTAGE (BY USPS REGULATIONS), YOUR ACCOUNT WILL BE DEBITED FOR THIS POSTAGE.</p> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <span>&lt;BACK</span> <span>NEXT&gt;</span> <span>CANCEL</span> </div>

**FIG. 11H**

PRINTER #6 MAIL QA ENV.

REGISTRATION WIZARD	
 <ol style="list-style-type: none"> <li>1. START</li> <li>2. REGISTER WITH STAMPS.COM</li> <li>3. APPLY FOR A POSTAL METER</li> <li>4. TEST PRINTER</li> <li>5. FINISH</li> </ol>	<div style="display: flex; justify-content: space-between; align-items: center;">  <div> <b>UNITED STATES POSTAL SERVICE</b> </div>  </div> <p>IT IS IMPORTANT THAT YOU PLACE THE QUALITY ASSURANCE ENVELOPE INTO A MAILBOX. IF YOU DO NOT MAIL IN THIS ENVELOPE YOUR METER MAY BE REVOKED BY THE USPS.</p>  <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <span>&lt;BACK</span> <span>NEXT&gt;</span> <span>CANCEL</span> </div>

31 /74

**FIG. 11I**

PRINTER #7 WHAT PRINTED ONTO ENV.

REGISTRATION WIZARD

**stamps.com**

UNITED STATES  
POSTAL SERVICE

METER  
LICENSE  
APPLICATION

1. START


2. REGISTER WITH  
STAMPS.COM


3. APPLY FOR A  
POSTAL METER


4. TEST PRINTER

5. FINISH

EXAMINE THE SAMPLE ENVELOPE THAT JUST PRINTED. SELECT  
THE SHAPE THAT PRINTED COMPLETELY ON THE ENVELOPE.

☐ 

☐ 

☐ 

☐ NONE OF THE ABOVE MATCH WHAT I SEE.

<BACK    NEXT>    CANCEL

**FIG. 11J**

PRINTER #8 TROUBLESHOOT OPTIONS

REGISTRATION WIZARD

**stamps.com**

UNITED STATES  
POSTAL SERVICE

METER  
LICENSE  
APPLICATION

1. START

2. REGISTER WITH  
STAMPS.COM

3. APPLY FOR A  
POSTAL METER

4. TEST PRINTER

5. FINISH

YOUR PRINTER MAY HAVE A PROBLEM PRINTING POSTAGE ON  
ENVELOPES. TRY ONE OF THESE SOLUTIONS:

☐ TRY PRINTING ANOTHER SAMPLE

☐ TRY PRINTING ANOTHER SAMPLE WITH A DIFFERENT PRINTER

☐ NEITHER OF THESE SOLUTIONS WORK

<BACK    NEXT>    CANCEL




32 /74


**FIG. 11K**

PRINTER #9 SORRY, NO ENV.PRINTING

REGISTRATION WIZARD

**stamps.com**

 **UNITED STATES  
POSTAL SERVICE**

 **METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

SORRY, YOUR PRINTER DOES NOT MEET UNITED STATES POSTAL SERVICE REQUIREMENTS.

INSERT CURRENT TEXT FROM PRINT TEST.


<BACK    NEXT>    CANCEL


**FIG. 11L**

FINISH #1 CONGRATS

REGISTRATION WIZARD

**stamps.com**

 **UNITED STATES  
POSTAL SERVICE**


 **METER  
LICENSE  
APPLICATION**

1. START  
2. REGISTER WITH STAMPS.COM  
3. APPLY FOR A POSTAL METER  
4. TEST PRINTER  
5. FINISH

CONGRATULATIONS! YOU HAVE COMPLETED ALL OF THE STEPS REQUIRED TO BEGIN PRINTING POSTAGE. SELECT "FINISH" TO ENTER THE SOFTWARE AND BEGIN PRINTING POSTAGE DIRECTLY FROM YOUR PC.


<BACK    FINISH    CANCEL

FIG. 12A



*FIG. 12B*

STAMPS.COM LOIN




ENTER YOUR USER NAME AND PASSWORD TO  
CONNECT TO THE STAMPS.COM SERVER.

USER NAME:

PASSWORD:

*FIG. 12C*

RE-REG. #1 ACCOUNT IN USE




THIS ACCOUNT IS CURRENTLY IN USE ON  
ANOTHER COMPUTER.

*FIG. 12D*

RE-REG. #2 WANT TO RE-REG.?

REREGISTER



THIS ACCOUNT IS CURRENTLY REGISTERED ON ANOTHER  
COMPUTER. STAMPS.COM ACCOUNTS CAN ONLY BE  
RUN OFF OF ONE COMPUTER AT A TIME.

WOULD YOU LIKE TO REREGISTER THIS ACCOUNT ONTO  
THIS COMPUTER?

FIG. 13A





FIG. 13B

PRINT INTERNET POSTAGE	
 PRINT INTERNET POSTAGE BY SELECTING A DELIVERY AND RETURN ADDRESS AND ANY OPTIONS.	
<div>ADDRESS INFORMATION</div> <div><div>RETURN ADDRESS: <input type="checkbox"/> CUSTOM <input type="checkbox"/> OMIT</div><div>DELIVERY ADDRESS: <input type="checkbox"/> ADDRESS BOOK</div></div> <div><div>MARK A. STIER 28341 LA BAJADA LAGUNA NIGUEL, CA. 92677-7057</div><div></div></div>	
<div>POSTAGE INFORMATION</div> <div><div>LICENSING POST OFFICE: <input type="text" value="LAGUNA NIGUEL - CA.-92677"/></div><div>MAIL SERVICE: <input type="text" value="FIRST CLASS MAIL"/></div><div>MAIL ITEM WEIGHT: <input type="text" value="0"/> LBS. <input type="text" value="1"/> OZ. <input type="button" value="COMPUTE"/></div><div>POSTAGE [\$]: <input type="text" value="0.33"/></div><div>MAILING DATE: <input type="text" value="02/09/1999"/></div></div> <div>PRINT OPTIONS</div> <div><input checked="" type="radio"/> ENVELOPES <input type="radio"/> LABELS <input type="button" value="MORE OPTIONS..."/></div>	
<div>PRINTER SETUP</div> <div><div>PRINTER NAME: <input type="text" value="EPSON STYLUS COLOR 600"/></div><div>PAPER FEED: <input type="text" value="AUTO SHEET FEEDER"/></div></div> <div><div><input type="button" value="PRINT SAMPLE"/> <input type="button" value="PRINT INTERNET POSTAGE"/> <input type="button" value="CLOSE"/> <input type="button" value="HELP"/></div></div>	

37/74

FIG. 13C

PRINT POSTAGE	
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>RETURN ADDRESS</p> <hr/> <p>REGISTERED USER'S NAME ADDRESS CITY, ST., ZIP +4</p> </div> <div style="border: 1px solid black; padding: 5px;"> <p><input type="checkbox"/> DO NOT PRINT THE RETURN ADDRESS</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>DELIVERY ADDRESS</p> <hr/> <p>RECIPIENT'S NAME ADDRESS CITY, ST., ZIP +4</p> </div> <div style="border: 1px solid black; padding: 5px; text-align: right;"> <p>ADDRESS BOOK</p> </div>
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>MAIL PIECE INFORMATION</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> </div> <div> <p>LETTER: TEXT DESCRIPTION OF A LETTER TYPE OF MAIL PIECE TO BE DETERMINED</p> </div> </div> </div> <div style="border: 1px solid black; padding: 5px;"> <p>PRINT ON: <span style="border: 1px solid black; padding: 2px;">ENVELOPE - #10</span> <input checked="" type="checkbox"/></p> </div> <div style="border: 1px solid black; padding: 5px;"> <p>ENTER WEIGHT: <span style="border: 1px solid black; padding: 2px;">0</span> <span style="border: 1px solid black; padding: 2px;">1</span> <span style="border: 1px solid black; padding: 2px;">SCALE</span></p> </div> <div style="border: 1px solid black; padding: 5px;"> <p>SELECT A MAIL SERVICE:</p> <div style="display: flex; justify-content: space-between;"> <div> <p><input checked="" type="checkbox"/> FIRST CLASS MAIL:</p> <p>PRIORITY MAIL:</p> <p>EXPRESS MAIL:</p> </div> <div> <p>\$0.33</p> <p>\$2.76</p> <p>\$9.95</p> </div> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>PREVIEW</p> <hr/> <div style="display: flex; justify-content: space-between;"> <div> <p>STAMPS.COM 2900 31ST. ST. STE.150 SANTA MONICA, CA 90405-3035</p> </div> <div style="text-align: center;"> <p>\$0.001 JAN 16, 1999 VOID POST-OFFICE</p> </div> </div> <p>STAMPS.COM 2900 31ST. ST. STE.150 SANTA MONICA, CA 90405-3035</p> </div>
<p>AVAILABLE POSTAGE: \$</p>	
<div style="display: flex; justify-content: flex-end; gap: 20px;"> <span>PRINT</span> <span>OPTIONS</span> <span>CLOSE</span> <span>HELP</span> </div>	

FIG. 13D




FIG. 13E



PRINT		?		X	
PRINTER					
NAME:	EPSON STYLUS COLOR 600		PROPERTIES		
PAPER FEED:	AUTO SHEET FEEDER				
STATUS:	IDLE				
TYPE:	EPSON STYLUS COLOR 600				
WHERE:	LPT1				
<p>PLEASE INSERT THE ENVELOPE INTO THE PRINTER SHORT EDGE FIRST.</p> <p>THIS IS NECESSARY BECAUSE THE EPSON STYLUS COLOR 600 PRINTER CANNOT PRINT POSTAGE THAT CONFORMS TO USPS REGULATIONS WHEN ENVELOPES ARE INSERTED LONG EDGE FIRST.</p> <p>YOU ARE PRINTING A SAMPLE ENVELOPE.</p>					
				SHORT EDGE	
				LONG EDGE	
		PRINT SAMPLE		PRINT INTERNET POSTAGE	
		CANCEL		CANCEL	



FIG. 13F

ENVELOPE OPTIONS

ENVELOPE SIZE  
[ENVELOPE #10 [4 1/8x9 1/2 INCH] ▼]

INDICIUM CORRECTION  
☐ POSTAGE CORRECTION [0.00] [↔]  
☐ DATE CORRECTION [05/01/1999] [↔]

RETURN ADDRESS  
[FONT] FROM LEFT [AUTO] [↔]  
FROM TOP [AUTO] [↔]

DELIVERY ADDRESS  
[FONT] FROM LEFT [AUTO] [↔]  
FROM TOP [AUTO] [↔]

☐ OMIT FIM [FACING IDENTIFICATION MARK]

SPECIFY BITMAP TO PERSONALIZE YOUR ENVELOPE  
[ ] ☐ OMIT [BROWSE]

PREVIEW  
STAMPS.COM  
2900 31ST. ST. STE.150  
SANTA MONICA, CA.90405-3035  
\$0.001  
VOID  
STAMPS.COM  
2900 31ST. ST. STE.150  
SANTA MONICA, CA.90405-3035

[OK] [CANCEL] [HELP]

FIG. 13G

ENVELOPE PRINTING OPTIONS

☐ DO NOT PRINT A FACING IDENTIFICATION MARK [|||||]  
☐ POSTDATE THE MAILPIECE TO [05/04/99] [↔]

INDICIUM CORRECTION  
☐ PRINT A POSTAGE CORRECTION [ ]  
☐ PRINT A DATE CORRECTION [05/04/99] [↔]

RETURN ADDRESS GRAPHIC  
☐ INCLUDE GRAPHIC [BROWSE] [ ]

RETURN ADDRESS  
[FONT] LEFT MARGIN [ ]  
TOP MARGIN [ ]

DELIVERY ADDRESS  
[FONT] LEFT MARGIN [ ]  
TOP MARGIN [ ]

INDICIUM GRAPHIC  
☐ INCLUDE GRAPHIC [BROWSE] [ ]

[OK] [CANCEL] [HELP]

FIG. 13H

<div> <div>×</div> <div>LABEL OPTIONS</div> </div>	
<div> <div>LABEL PRODUCTS</div> <div> <div>ENVELOPE #10</div> <div>[ 4 1/8x9 1/2 INCH ]</div> <div>▼</div> </div> </div>	
<div>LABEL NUMBER</div> <div> <div>2859—ADDRESS</div> <div>2868—MINI ADDRESS</div> <div>2869—MINI ADDRESS</div> <div>2879—ADDRESS</div> <div>5163—ADDRESS</div> </div>	<div>LABEL INFORMATION</div> <div> <div>TYPE: ADDRESS</div> <div>HEIGHT: 1.81 IN</div> <div>WIDTH: 4.00 IN</div> <div>PAGE SIZE: LETTER</div> </div>
<div> <div>INDICIUM CORRECTION</div> <div> <input type="checkbox"/> PRINT A POSTAGE CORRECTION                 </div> <div> <input type="checkbox"/> PRINT A DATE CORRECTION                 </div> </div>	<div> <div>START FROM</div> <div> <div>FLOW: 1</div> <div>COL: 1</div> </div> </div>
<div> <input type="checkbox"/> OMIT FIM [FACING IDENTIFICATION MARK]                 </div>	<div>PREVIEW</div> <div> </div>
<div> <div>OK</div> <div>CANCEL</div> <div>HELP</div> </div>	

*FIG. 13I*

LABEL PRINTING OPTIONS	
<input type="checkbox"/> DO NOT PRINT A FACING IDENTIFICATION MARK	
<input type="checkbox"/> POSTDATE THE MAILPIECE TO	05/04/99
INDICIUM CORRECTION	
<input type="checkbox"/> PRINT A POSTAGE CORRECTION	
<input type="checkbox"/> PRINT A DATE CORRECTION	05/04/99
FONT	
OK	CANCEL
HELP	

FIG. 13J

PRINT POSTAGE	
<p>RETURN ADDRESS</p> <div style="border: 1px solid black; padding: 10px; margin: 5px;"> <p>REGISTERED USER'S NAME ADDRESS CITY, ST., ZIP +4</p> </div> <p><input type="checkbox"/> DO NOT PRINT THE RETURN ADDRESS</p>	<p>DELIVERY ADDRESS</p> <div style="border: 1px solid black; padding: 10px; margin: 5px;"> <p>RECIPIENT'S NAME ADDRESS CITY, ST., ZIP +4</p> </div> <p style="text-align: right; border: 1px solid black; padding: 2px;">ADDRESS BOOK</p>
<p>MAIL PIECE INFORMATION</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> </div> <div> <p>LETTER: TEXT DESCRIPTION OF A LETTER TYPE OF MAIL PIECE TO BE DETERMINED</p> </div> </div> <p>PRINT ON: <span style="border: 1px solid black; padding: 2px;">ENVELOPE-#10</span></p> <p>ENTER WEIGHT: <span style="border: 1px solid black; padding: 2px;">0</span> LBS. <span style="border: 1px solid black; padding: 2px;">1</span> <span style="border: 1px solid black; padding: 2px;">0</span> OZ. <span style="border: 1px solid black; padding: 2px;">SCALE</span></p> <p>SELECT A MAIL SERVICE:</p> <div style="display: flex; align-items: center;"> <input checked="" type="checkbox"/> FIRST CLASS MAIL: \$0.33  <input type="checkbox"/> PRIORITY MAIL: \$2.76  <input type="checkbox"/> EXPRESS MAIL: \$9.95         </div>	
<p>AVAILABLE POSTAGE: \$</p>	
<p>PREVIEW</p> <div style="border: 1px solid black; padding: 10px; margin: 5px;"> <p>STAMPS.COM 2900 31ST. ST. STE.150 SANTA MONICA, CA 90405-3035</p> <p style="text-align: center;">VOID</p> <p>STAMPS.COM 2900 31ST. ST. STE.150 SANTA MONICA, CA 90405-3035</p> <p style="text-align: right;">\$0.001 ADD IN 1999 POST-AGE</p> </div>	
<p>PRINT    OPTIONS    CLOSE    HELP</p>	

FIG. 13K


PRINT POSTAGE											
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             RETURN ADDRESS           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             REGISTERED USER'S NAME              ADDRESS              CITY, ST., ZIP +4           </div> <div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> DO NOT PRINT THE RETURN ADDRESS           </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             DELIVERY ADDRESS           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">RECIPIENT'S NAME</td> <td style="width: 20%; text-align: right;">\$4.73</td> </tr> <tr> <td>RECIPIENT'S NAME</td> <td style="text-align: right;">\$4.89</td> </tr> <tr> <td>RECIPIENT'S NAME</td> <td style="text-align: right;">\$5.09</td> </tr> <tr> <td>RECIPIENT'S NAME</td> <td style="text-align: right;">\$5.31</td> </tr> <tr> <td>RECIPIENT'S NAME</td> <td style="text-align: right;">\$5.31</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px; text-align: center;">             ADDRESS BOOK           </div>	RECIPIENT'S NAME	\$4.73	RECIPIENT'S NAME	\$4.89	RECIPIENT'S NAME	\$5.09	RECIPIENT'S NAME	\$5.31	RECIPIENT'S NAME	\$5.31
RECIPIENT'S NAME	\$4.73										
RECIPIENT'S NAME	\$4.89										
RECIPIENT'S NAME	\$5.09										
RECIPIENT'S NAME	\$5.31										
RECIPIENT'S NAME	\$5.31										
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             MAIL PIECE INFORMATION           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             LETTER: TEXT DESCRIPTION OF              A LETTER TYPE OF MAIL PIECE TO              BE DETERMINED           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             PRINT ON: <span style="border: 1px solid black; padding: 2px;">9</span> LBS. <span style="border: 1px solid black; padding: 2px;">4</span> OZ. <span style="border: 1px solid black; padding: 2px;">SCALE</span> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             ENTER WEIGHT: <span style="border: 1px solid black; padding: 2px;">9</span> LBS. <span style="border: 1px solid black; padding: 2px;">4</span> OZ. <span style="border: 1px solid black; padding: 2px;">SCALE</span> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             SELECT A MAIL SERVICE:           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             FIRST CLASS MAIL: \$1.12           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             PRIORITY MAIL: \$4.73 TO \$5.31           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             EXPRESS MAIL: \$13.25 TO \$21.98           </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">             PREVIEW           </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">  </div>										
<div style="display: flex; justify-content: space-between;"> <div>             AVAILABLE POSTAGE: \$              COST OF MAILING: XX RECIPIENTS @ \$YY.YY=\$ZZZ.ZZ           </div> <div style="text-align: right;"> <span style="border: 1px solid black; padding: 5px 10px; margin-right: 5px;">PRINT</span> <span style="border: 1px solid black; padding: 5px 10px; margin-right: 5px;">OPTIONS</span> <span style="border: 1px solid black; padding: 5px 10px; margin-right: 5px;">CLOSE</span> <span style="border: 1px solid black; padding: 5px 10px;">HELP</span> </div> </div>											


FIG. 13L


PRINT
?
X

PRINTER
NAME:
EPSON STYLUS COLOR 600
PAPER FEED:
AUTO SHEET FEEDER
STATUS:
IDLE
TYPE:
EPSON STYLUS COLOR 600
WHERE:
LPT1

PROPERTIES

PLEASE INSERT THE ENVELOPE INTO THE PRINTER SHORT EDGE FIRST.


SHORT  
EDGE


LONG  
EDGE

THIS IS NECESSARY BECAUSE THE EPSON STYLUS COLOR 600 PRINTER CANNOT PRINT POSTAGE THAT CONFORMS TO USPS REGULATIONS WHEN ENVELOPES ARE INSERTED LONG EDGE FIRST.

YOU ARE PRINTING A SAMPLE ENVELOPE.

PRINT SAMPLE
PRINT INTERNET POSTAGE
CONFIGURE
CANCEL

FIG. 13M

ENVELOPE PRINTING OPTIONS

☐ DO NOT PRINT A FACING IDENTIFICATION MARK ||||

☐ POSTDATE THE MAIL PIECE TO 05/04/99

INDICIUM CORRECTION

☐ PRINT A POSTAGE CORRECTION

☐ PRINT A DATE CORRECTION 05/04/99

RETURN ADDRESS GRAPHIC

☐ INCLUDE GRAPHIC BROWSE

RETURN ADDRESS

FONT LEFT MARGIN TOP MARGIN

DELIVERY ADDRESS

FONT LEFT MARGIN TOP MARGIN

INDICIUM GRAPHIC

☐ INCLUDE GRAPHIC BROWSE

OK CANCEL HELP

FIG. 13N

LABEL PRINTING OPTIONS

☐ DO NOT PRINT A FACING IDENTIFICATION MARK ||||

☐ POSTDATE THE MAIL PIECE TO 05/04/99

INDICIUM CORRECTION

☐ PRINT A POSTAGE CORRECTION

☐ PRINT A DATE CORRECTION 05/04/99

INDICIUM GRAPHIC

☐ INCLUDE GRAPHIC BROWSE

OK CANCEL HELP

FIG. 14A




FIG. 14B






FIG. 15A




FIG. 15B




FIG. 15C

**ENVELOPE PRINTING OPTIONS**

☐ DO NOT PRINT A FACING IDENTIFICATION MARK |||

☐ POSTDATE THE MAILPIECE TO 05/04/99

**INDICIUM CORRECTION**

☐ PRINT A POSTAGE CORRECTION

☐ PRINT A DATE CORRECTION 05/04/99

**RETURN ADDRESS GRAPHIC**

☐ INCLUDE GRAPHIC BROWSE

**RETURN ADDRESS**

FONT LEFT MARGIN TOP MARGIN

**DELIVERY ADDRESS**

FONT LEFT MARGIN TOP MARGIN

**INDICIUM GRAPHIC**

☐ INCLUDE GRAPHIC BROWSE

OK CANCEL HELP

FIG. 16A

**ADDRESS BOOK**

SELECT AN ADDRESS BOOK: [ ]

SELECT A DATABASE OR FILE: [ ] BROWSE

SEARCH FOR: [ ]


	LAST NAME	FIRST NAME	COMPANY
👤	SAMPLE GROUP		
👤	STIER	MARK	STAMPS.COM
👤	VON KAENEL	TIM	STAMPS.COM

NEW CONTACT  
NEW GROUP  
PROPERTIES  
DELETE  
IMPORT  
EXPORT  
HELP

OK

*FIG. 16B*

CHANGE PAYMENT METHOD

 REMINDER:

WHENEVER YOU SELECT MORE THAN 1 RECIPIENT AT A TIME EACH OF THE ATTRIBUTES THAT YOU DEFINE IN THE PRINT POSTAGE DIALOG BOX WILL APPLY TO ALL OF THE RECIPIENTS.

IF YOU WANT TO ASSIGN DIFFERENT MAILING ATTRIBUTES TO DIFFERENT RECIPIENTS YOU MUST SELECT THOSE RECIPIENTS ONE AT A TIME PRINT POSTAGE FOR THE RECIPIENT AND THEN REPEAT THE PROCESS.

☐ DO NOT SHOW THIS MESSAGE AGAIN

OK

*FIG. 17A*

MESSAGE

GRAPHIC

MORE INFO... OK

*FIG. 17B*

MESSAGE

MARKETING GRAPHIC

MARKETING MESSAGES WILL BE CREATED AT THE SERVER AND CAN BE ANY MESSAGE CONSISTING OF 255 CHARACTERS OR LESS.

MORE INFO... OK

*FIG. 17C*

A dialog box titled "MESSAGE" with a left sidebar containing a box labeled "CS GRAPHIC". The main area contains the text: "CUSTOMER SERVICE MESSAGES WILL BE CREATED AT THE SERVER AND CAN BE ANY MESSAGE CONSISTING OF 255 CHARACTERS OR LESS." At the bottom right are two buttons: "MORE INFO..." and "OK".

*FIG. 17D*

A dialog box titled "MESSAGE" with a left sidebar containing a box labeled "MASTER CARD GRAPHIC". The main area contains the text: "THESE MESSAGES WILL PROMOTE CREDIT CARD OFFERS FROM STAMPS.COM AND ITS PARTNERS". At the bottom right are two buttons: "APPLY NOW" and "OK".

*FIG. 17E*

A dialog box titled "MESSAGE" with a left sidebar containing a box labeled "PAYMENT GRAPHIC". The main area contains the text: "DYNAMIC TEXT INDICATING THE DETAILS OF A PAYMENT PROBLEM." and "SELECT 'OK' TO RESUBMIT YOUR PAYMENT." At the bottom right is a single button labeled "OK".

*FIG. 17F*

MESSAGE	
EMAIL GRAPHIC	OUR RECORDS INDICATE THAT THE EMAIL ADDRESS THAT WE HAVE ON FILE IS NO LONGER VALID. PLEASE ENTER YOUR CURRENT EMAIL ADDRESS AND SELECT "OK"
ENTER EMAIL:	<input type="text"/>
<input type="button" value="OK"/>	

*FIG. 17G*

MESSAGE	
PLAN GRAPHIC	DYNAMIC TEXT INDICATING THE DETAILS OF A CHANGE IN PLANS THAT ARE AVAILABLE.  SELECT "OK" TO VIEW THE NEW PLAN, OR CANCEL TO CONTINUE.
<input type="button" value="OK"/> <input type="button" value="CANCEL"/>	

FIG. 18





FIG. 19A



*FIG. 19B*

CHG. OF ADD #1 WELCOME

**CHANGE OF ADDRESS**

THIS WIZARD WILL WALK YOU THROUGH THE PROCESS  
OF UPDATING THE PHYSICAL AND/OR MAILING ADDRESS  
TO WATCH YOUR EMETER IS ASSIGNED.

SELECT NEXT TO CONTINUE.



56 /74

**FIG. 19C**

CHG. OF ADD. #2 ENTER ADDRESS

**CHANGE OF ADDRESS**

PLEASE ENTER ANY CHANGES TO EITHER YOUR PHYSICAL OR MAILING ADDRESS.

PHYSICAL ADDRESS (WHERE THIS COMPUTER IS LOCATED)

ADDRESS: 259 GRANADA AVENUE

CITY: LONG BEACH

STATE: CA ZIP: 90803

MAILING ADDRESS: (WHERE YOU RECEIVE MAIL)

☐ USE PHYSICAL ADDRESS

ADDRESS:

CITY:

STATE: ZIP:

<BACK NEXT> CANCEL

**FIG. 19D**

CHG. OF ADD. #3 SUBMIT

**CHANGE OF ADDRESS**

BEFORE SUBMITTING THE UPDATED INFORMATION TO THE USPS, PLEASE REVIEW THE ANSWERS YOU PROVIDED AND VERIFY THEIR ACCURACY:

APPLICANT'S NAME: MARK A. STIER

PHYSICAL ADDRESS:  
28341 LA BAJADA  
LAGUNA NIGUEL, CA. 92677-7057

MAILING ADDRESS:  
28341 LA BAJADA  
LAGUNA NIGUEL, CA. 92677-7057

☐ I VERIFY THAT THE INFORMATION SHOWN IS TRUTHFUL AND ACCURATE.

<BACK SUBMIT NOW CANCEL

*FIG. 19E*

CHG. OF ADD. #4 INFO UPDATED

CHANGE OF ADDRESS

THANK-YOU FOR UPDATING YOUR ADDRESS INFORMATION.

THE UPDATED INFORMATION HAS BEEN SUCCESSFULLY PROCESSED AND IS BEING PASSED ALONG TO THE UNITED STATES POSTAL SERVICE IN ORDER TO UPDATE YOUR EMETER LICENSE.

*FIG. 19F*

CHG. OF ADD. #5 WITHDRAW METER

CHANGE OF ADDRESS

YOUR NEW PHYSICAL ADDRESS LOCATION IS OUTSIDE OF THE JURISDICTION OF THE POST OFFICE THAT ORIGINALLY ISSUED A METER LICENSE TO YOU (YOUR LPO)


AS A RESULT, YOUR EMETER IS NOW INVALID FOR YOUR USE. YOU WILL NEED TO WITHDRAW YOUR CURRENT METER AND SIGN UP FOR A NEW METER LICENSE IN YOUR NEW LOCATION. THE FUNDS IN YOUR CURRENT METER WILL BE REFUNDED BY THE USPS, AND YOU WILL NEED TO ADD NEW FUNDS TO YOUR NEW METER.

THE REMAINDER OF THIS WIZARD WILL HELP YOU THROUGH THIS PROCESS.

IF YOU WOULD LIKE TO EXPORT YOUR ADDRESS BOOK AND POSTAGE HISTORY LOGS, SELECTED THE "EXPORT FILES" BUTTON.


SELECT NEXT WHEN YOU ARE READY TO WITHDRAW YOUR CURRENT EMETER.

*FIG. 19G*

CHANGE OF ADDRESS	
	ARE YOU SURE YOU WANT TO WITHDRAW YOUR METER LICENSE?
<input type="button" value="YES"/>	<input type="button" value="NO"/>

*FIG. 19H*

CHG. OF ADD. #6 USER NAME

CHANGE OF ADDRESS	
	YOUR EMETER LICENSE HAS BEEN WITHDRAWN.
	BEFORE REGISTERING FOR A NEW METER LICENSE YOU WILL NEED TO PROVIDE A NEW USER NAME AND PASSWORD TO ACCESS STAMPS.COM
	USER NAME: <input type="text"/>
	PLEASE SELECT A PASSWORD. YOUR PASSWORD MUST BE AT LEAST 6 CHARACTERS IN LENGTH, AND CONTAIN AT LEAST ONE LETTER AND ONE NUMBER.
	PASSWORD: <input type="text"/>
	RETYPE PASSWORD: <input type="text"/>
<div><input type="button" value="NEXT&gt;"/> <input type="button" value="CANCEL"/></div>	

59 /74

**FIG. 19I**

CHG. OF ADD. #7 LAUNCH REG. WIZARD

CHANGE OF ADDRESS

YOUR USER NAME AND PASSWORD HAVE BEEN CONFIRMED BY STAMPS.COM.

SELECT NEXT TO REGISTER FOR A NEW EMETER LICENSE.

<BACK    NEXT>    CANCEL

**FIG. 20A**

CHANGE PAYMENT METHOD

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

OK    CANCEL

60/74

FIG. 20B

CHANGE PAYMENT METHOD

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

CARDHOLDER NAME:

CARD#:

EXP. DATE:

PLEASE PROVIDE YOUR BILLING ADDRESS FOR THIS ACCOUNT.

☐ USE MAILING ADDRESS

ADDRESS:

CITY:

STATE:  ZIP:

FIG. 20C

CHANGE PAYMENT METHOD

PLEASE SELECT A MEANS OF PAYMENT TO BE USED FOR BOTH THE PURCHASE OF POSTAGE AND FOR THE PAYMENT OF CONVENIENCE FEES.

PAYMENT TYPE:

NAME ON ACCT.:

ABA ROUTING#:

ACCOUNT#:

BANK NAME:

ACCOUNT TYPE: ☐ CHECKING  
☐ SAVINGS

FIG. 21A

CHANGE SERVICE PLAN

YOU ARE CURRENTLY SIGNED UP FOR THE FOLLOWING PLAN <DYNAMICALLY INSERT CURRENT PLAN NAME>

SELECT A SERVICE PLAN

SERVICE PLAN DESCRIPTIONS:

This is a graphical user interface window titled "CHANGE SERVICE PLAN". It contains a message stating the user is currently signed up for a plan, with a placeholder for the plan name. Below this is a text input field labeled "SELECT A SERVICE PLAN". Underneath is a section for "SERVICE PLAN DESCRIPTIONS" with a large empty rectangular area and a "MORE INFO..." button to its right. At the bottom are "OK" and "CANCEL" buttons.

FIG. 21B

CHANGE SERVICE PLAN


PLEASE READ THE SERVICE PLAN CONTRACT BELOW AND INDICATE WHETHER OR NOT YOU ACCEPT ITS TERMS.

☐ I ACCEPT ☐ I DO NOT ACCEPT

This is a graphical user interface window titled "CHANGE SERVICE PLAN". It contains a message asking the user to read the service plan contract and indicate acceptance. Below this is a large empty rectangular area for the contract. At the bottom are two radio buttons labeled "I ACCEPT" and "I DO NOT ACCEPT", followed by "OK" and "CANCEL" buttons.

*FIG. 21C*


CHANGE SERVICE PLAN

 YOUR NEW SERVICE PLAN WILL TAKE EFFECT ONCE YOUR NEXT BILLING CYCLE IS SCHEDULED TO BEGIN. YOU WILL CONTINUE TO BE BILLED AT YOUR PREVIOUS RATE THROUGH THE END OF THIS BILLING CYCLE.

OK

*FIG. 21D*

CHANGE SERVICE PLAN

 YOU CANNOT CHANGE SERVICE PLANS UNLESS YOU AGREE TO THE TERMS OF THE NEW SERVICE PLAN CONTRACT. WOULD YOU LIKE TO GO BACK AND REVIEW THE CONTRACT AGAIN, OR CANCEL THE CHANGE OF SERVICE PLANS?

GO BACK CANCEL

*FIG. 21E*


CHANGE EMAIL INFORMATION

PLEASE ENTER YOUR NEW EMAIL ACCOUNT NAME.

OK CANCEL

*FIG. 22A*

STAMPS.COM INTERNET POSTAGE

 THE INFORMATION YOU ENTERED WAS INCORRECT. PLEASE TRY AGAIN.

OK

63 /74

*FIG.22B*


CONFIRMATION
YOUR ENTRY HAS BEEN CONFIRMED. A TEMPORARY PASSWORD HAS BEEN SENT TO <BLAHBLAH@BLAH.COM> YOU MUST EXIT AND LOG BACK IN TO USE THIS NEW PASSWOD.
<input type="button" value="OK"/>

*FIG.23*

WITHDRAW METER
IF YOU INTEND TO STOP PRINTING POSTAGE FROM STAMPS.COM INTERNET POSTAGE AND WISH TO CLOSE YOUR ACCOUNT, YOU MUST GIVE UP ACCESS TO YOUR POSTAGE METER ("WITHDRAW YOUR METER")
I WOULD LIKE TO WITHDRAW MY METER BECAUSE: <input type="text" value="&lt;TYPE IN OR SELECT ONE&gt;"/>
WHAT PRODUCT/SERVICE WILL YOU NOW USE FOR YOUR POSTAGE NEEDS? <input type="text" value="&lt;TYPE IN OR SELECT ONE&gt;"/>
ANY REMAINING BALANCE OF POSTAGE THAT YOU HAVE PURCHASED WILL BE REFUNDED TO YOU BY THE USPS VIA MAIL TO THE ADDRESS THAT YOU INDICATE BELOW.
ADDRESS: <input type="text" value="PRE FILLED"/>
CITY: <input type="text" value="PRE FILLED"/>
STATE: <input type="text" value="PRE FILLED"/> <input type="button" value="v"/> ZIP: <input type="text" value="PRE FILLED"/>
<input type="button" value="OK"/> <input type="button" value="CANCEL"/>



FIG.24



*FIG.25A*

SETUP DIGITAL SCALE

DIGITAL SCALES PROVIDE AN INTERFACE TO YOUR COMPUTER THAT ALLOWS STAMPS.COM TO RETRIEVE THE WEIGHT OF MAIL ITEMS AND AUTOMATICALLY INSERT THE VALUE INTO THE PRINT POSTAGE DIALOG BOX.


SELECT A SCALE:

SELECT THE COM PORT THAT THE DIGITAL SCALE IS CONNECTED TO:

FOR MORE INFORMATION ON DIGITAL SCALES, SELECT THE [MORE INFO.](#) WEB LINK BUTTON TO LAUNCH THE STAMPS.COM WEBSITE.


*FIG.25B*

DIGITAL SCALE TEST

 YOUR DIGITAL SCALE HAS BEEN SUCCESSFULLY SET UP AND TESTED.

*FIG.25C*

DIGITAL SCALE TEST

 WE HAVE FAILED TO COMMUNICATE WITH YOUR DIGITAL SCALE WITH THE SETTINGS THAT YOU HAVE PROVIDED. CONFIRM THAT THE SCALE IS ATTACHED, TURNED ON, AND THAT YOUR SELECTIONS ARE CORRECT. IF THE PROBLEM PERSISTS, CONTACT THE SCALE MANUFACTURER.

66 / 74




FIG. 26

67/174




FIG. 27




FIG. 28

Stamps.com Internet Postage

Stamps.com Business Tools

Welcome

Print Postage

Buy Postage

View Reports

Addresses

Buy Supplies

Online Support

Shipping Tools


Business Tools

**Business Tools**


- Overview
- Insurance
- Online Supply Ordering
- Package Pickup
- Online Print and Mail Service
- Online Lead Generation

**Business Tools**

Stamps.com is committed to making things Simply Easier. That is why we have partnered with key companies to provide services that can help you simplify your mailing, shipping, and marketing processes. Now you can insure a package, get USPS supplies, schedule a package pickup, get leads for your business, or print and fulfill a direct mail campaign, all without leaving your home or office! It's the best thing since postage from your printer!



**STORE SPECIAL**



Get a 10lb Postage scale for only \$49.95


**CUSTOMER PERKS**

20% OFF online purchases

Deluxe Business Checks & Forms


**Insurance**

Avoid going to the post office to insure your packages. Insure them all Online with U-PIC.com.




**Online Supply Ordering**

Running out of USPS supplies? No need to worry, order them Online and have them sent directly to your home or office free of charge.



**Package Pickup**

Don't worry about taking your large and heavy packages to the post office, the USPS will be happy to come to you.




stamps.com

Available Postage: \$11.20

FIG. 29

70/74

**Special Services** 

Select the Special Services that you would like for your mail piece. Please note, when using a Special Service, you will need to fill out the appropriate USPS form. For more information, click on the service's corresponding link.

**Special Service:**

<input type="checkbox"/> <b>Certified Mail</b> <a href="#">USPS Form 3800</a>	<input type="checkbox"/> <b>Registered Mail</b> \$ <input type="text"/> <b>Mail Value</b> <a href="#">USPS Label 200</a>
<input type="checkbox"/> <b>Return Receipt</b> <a href="#">USPS Form 3811</a>	
<input type="checkbox"/> <b>Delivery Confirmation</b> <a href="#">USPS Form 152</a>	<input type="checkbox"/> <b>Insurance</b> <input type="text"/> <b>Mail Value</b> <a href="#">USPS Form 3812-P</a>

FIG. 30

Stamps.com Internet Postage

Print Internet Postage

Welcome

Print Postage

Buy Postage

View Reports

Addresses

Buy Supplies

Online Support

Shipping Tools

Business Tools

stamps.com

© 1999-2001  
Stamps.com, Inc.

☒ Include Return Address

Delivery Address(es):

Chris, Jen & Carson Hasbrouck  
2360 E Woodlyn Rd  
Pasadena, CA 91104-3444

123 Address Override St  
Los Angeles, CA 90015

Mail Piece: ☒ Letters

Print On: ☒ Label - Rittenhouse A101SDC - (3-Pa)

Weight: 0 <sup>1</sup>/<sub>2</sub> lbs. 1 <sup>1</sup>/<sub>2</sub> oz.

Mail Class:

<input checked="" type="radio"/> First-Class Mail	\$0.34
<input type="radio"/> Priority Mail	\$3.50
<input type="radio"/> Express Mail	\$12.45
<input type="radio"/> Parcel Post	N/A

Parcel Characteristics: ☒ No special characteristics

Reference: <None>

Total Estimated Postage Cost  
Cost of mailing: 1 recipients @ \$0.34 = \$0.34

Print Sample

Print Postage

Options

Help

Available Postage: \$218.00

FIG. 31A

Stamps.com Internet Postage

Print Internet Postage

Welcome

Print Postage

Buy Postage

View Reports

Addresses

Buy Supplies

Online Support

Shipping Tools

Business Tools

stamps.com

© 1999-2001  
Stamps.com, Inc.

☒ Include Return Address

Delivery Address(es):

Chris, Jen & Carson Hasbrouck  
2360 E Woodlyn Rd  
Pasadena, CA 91104-3444

123 Address Override St  
Los Angeles, CA 90015

Mail Piece: ☒ Letters

Print On: ☒ Label - Rittenhouse A101SDC - (3-Pa)

Weight: 0 <sup>1</sup>/<sub>2</sub> lbs. 1 <sup>1</sup>/<sub>2</sub> oz.

Mail Class:

<input checked="" type="radio"/> First-Class Mail	\$0.34
<input type="radio"/> Priority Mail	\$3.50
<input type="radio"/> Express Mail	\$12.45
<input type="radio"/> Parcel Post	N/A

Parcel Characteristics: ☒ No special characteristics

Reference: <None>

Total Estimated Postage Cost  
Cost of mailing: 1 recipients @ \$0.34 = \$0.34

Print Sample

Print Postage

Options

Help

Available Postage: \$218.00

**Address Override**

The USPS address match system was unable to find an exact match for the address entered. It was, however, able to find a valid city, state and zip code. It is recommended that you access the address override only if you are certain that the address entered is correct. If you are not certain, please contact the recipient for the correct address.

Original Address:  
Chris, Jen & Carson Hasbrouck  
2360 E Woodlyn Rd  
Pasadena, CA 91104-3444

Override Address:  
123 Address Override St  
Los Angeles, CA 90015

☐ Stop printing to this address

FIG. 31B



72 / 74




FIG. 31C




FIG. 31D

73/174




FIG. 31E




FIG. 31F

74 / 74




FIG. 31G

## INTERNATIONAL SEARCH REPORT

Intern . . . Application No  
PCT/US 01/22191A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 G07B17/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 G07B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 825 893 A (KARA SALIM G) 20 October 1998 (1998-10-20) claim 1; figures 10,4A,8	1-68
Y	WO 98 57302 A (RAHRIG JOHN G ; RILEY DAVID W (US); GRAVELL LINDA V (US); PINTSOV L) 17 December 1998 (1998-12-17) page 3, paragraph 3; claim 3; figure 3	1-68
A	US 5 684 951 A (GOLDMAN JONATHAN ET AL) 4 November 1997 (1997-11-04) claim 1; figure 3A	1-68
A	EP 0 854 448 A (PITNEY BOWES) 22 July 1998 (1998-07-22) claim 1; figure 3D	1-68
	-/-	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

6 December 2001

Date of mailing of the international search report

13/12/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Kirsten, K

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/22191

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 94 27258 A (SPAULDING JOHN ;INTERACTIVE TELEVISION SYSTEMS (US); RHOADES DONAL) 24 November 1994 (1994-11-24) claim 1; figure 1 -----	1-68

## INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern Application No.

PCT/US 01/22191

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5825893	A	20-10-1998	US 5666284 A	09-09-1997
			US 5606507 A	25-02-1997
			US 5510992 A	23-04-1996
			AU 685580 B2	22-01-1998
			AU 1524995 A	01-08-1995
			BR 9506445 A	02-09-1997
			CA 2180327 A1	13-07-1995
			CN 1138911 A	25-12-1996
			DE 19581420 T0	27-02-1997
			EP 0741892 A1	13-11-1996
			GB 2300151 A ,B	30-10-1996
			GB 2316362 A ,B	25-02-1998
			JP 9511346 T	11-11-1997
			NO 962781 A	14-08-1996
			NZ 278795 A	24-03-1997
			RU 2146390 C1	10-03-2000
			WO 9519016 A1	13-07-1995
			US 5801364 A	01-09-1998
			US 5778076 A	07-07-1998
			US 5812991 A	22-09-1998
			US 5796834 A	18-08-1998
			US 6233568 B1	15-05-2001
			US 5682318 A	28-10-1997
			US 5774886 A	30-06-1998
WO 9857302	A	17-12-1998	AU 7961998 A	30-12-1998
			AU 736669 B2	02-08-2001
			AU 7963898 A	30-12-1998
			AU 8255898 A	30-12-1998
			AU 8256698 A	30-12-1998
			AU 8567098 A	30-12-1998
			AU 8567298 A	30-12-1998
			BR 9805995 A	31-08-1999
			BR 9806225 A	21-03-2000
			CN 1234890 T	10-11-1999
			CN 1234891 T	10-11-1999
			EP 0925558 A1	30-06-1999
			EP 0931299 A1	28-07-1999
			EP 0925663 A1	30-06-1999
			EP 0920679 A1	09-06-1999
			EP 0966728 A1	29-12-1999
			EP 0960394 A1	01-12-1999
			WO 9857302 A1	17-12-1998
			WO 9857303 A1	17-12-1998
			WO 9857460 A1	17-12-1998
			WO 9857304 A1	17-12-1998
			WO 9857305 A1	17-12-1998
			WO 9857306 A1	17-12-1998
US 5684951	A	04-11-1997	NONE	
EP 0854448	A	22-07-1998	US 5873073 A	16-02-1999
			CA 2225693 A1	24-06-1998
			EP 0854448 A2	22-07-1998
WO 9427258	A	24-11-1994	AU 6912894 A	12-12-1994
			WO 9427258 A1	24-11-1994